

Texas School Survey of Drug and Alcohol Use: 2014

Border Report Grades 7-12

Table of Contents

1	General Substance Use Tables	4
	Tobacco	5
	Alcohol	9
	Drugs	18
	Inhalants	33
	Miscellaneous	38
2	Prevalence Tables	45
	Table B-1: All Students	46
	Table B-2: Male Students	50
	Table B-3: Female Students	54
	Table B-4: White Students	58
	Table B-5: African/American Students	62
	Table B-6: Mexican/American Students	66
	Table B-7: Students Reporting A Grades	70
	Table B-8: Students Reporting Grades Lower Than an A	74
	Table B-9: Students Living With 2 Parents	78
	Table B-10: Students Not Living With 2 Parents	82
	Table B-11: Students who would seek help from adults for substance abuse problems	86
	Table B-12: Students who would not seek help from adults for substance abuse problems	90
3	Margin Tables	94

1 General Substance Use Tables

Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	8.7%	12.1%	23.2%	76.8%
Grade 7	3.5%	4.6%	11.5%	88.5%
Grade 8	6.7%	10.0%	19.0%	81.1%
Grade 9	6.7%	8.2%	19.1%	81.0%
Grade 10	9.2%	13.3%	26.0%	73.9%
Grade 11	13.3%	19.1%	31.3%	68.6%
Grade 12	15.4%	21.2%	37.9%	62.1%
Cigarettes?				
All	7.8%	11.1%	22.1%	77.9%
Grade 7	2.9%	3.9%	10.6%	89.4%
Grade 8	5.8%	9.1%	18.1%	82.0%
Grade 9	6.2%	7.5%	18.1%	81.9%
Grade 10	8.1%	12.3%	25.5%	74.6%
Grade 11	12.0%	17.7%	30.3%	69.7%
Grade 12	14.6%	19.6%	34.9%	65.1%
Smokeless Tobacco?				
All	2.6%	4.2%	7.0%	93.0%
Grade 7	1.0%	1.5%	3.1%	96.9%
Grade 8	2.3%	3.9%	6.0%	93.9%
Grade 9	2.2%	3.1%	5.7%	94.3%
Grade 10	2.8%	4.6%	7.1%	92.8%
Grade 11	3.6%	5.9%	8.9%	91.1%
Grade 12	4.5%	7.3%	12.7%	87.2%

Table T-2: How often do you normally use tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	84.9%	0.6%	1.5%	2.0%	3.4%	3.1%	4.6%
Grade 7	95.2%	0.3%	0.1%	0.3%	0.9%	1.2%	2.0%
Grade 8	88.6%	0.3%	1.1%	2.0%	2.0%	3.0%	3.1%
Grade 9	86.8%	0.5%	0.9%	1.5%	2.1%	2.5%	5.8%
Grade 10	82.8%	0.1%	2.0%	2.2%	4.9%	3.4%	4.7%
Grade 11	79.9%	1.0%	2.0%	3.1%	5.7%	4.0%	4.3%
Grade 12	71.8%	1.5%	3.4%	3.5%	5.9%	5.0%	8.9%

Table T-3: Average age of first use of tobacco:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	11.0	11.8	12.6	13.4	14.3	15.2

Table T-4: If you wanted some, how difficult would it be to get tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	37.1%	18.2%	6.2%	8.6%	12.5%	17.4%
Grade 7	49.4%	29.5%	6.7%	5.3%	3.7%	5.4%
Grade 8	39.8%	22.8%	7.6%	7.9%	10.6%	11.3%
Grade 9	43.4%	16.2%	6.5%	8.9%	11.9%	13.2%
Grade 10	29.6%	14.4%	5.9%	13.0%	17.9%	19.1%
Grade 11	29.2%	14.4%	5.4%	9.1%	17.2%	24.7%
Grade 12	26.5%	7.7%	4.8%	7.8%	16.3%	36.9%

Table T-5: About how many of your close friends use tobacco?

	None	A Few	Some	Most	All
All	66.5%	20.0%	8.8%	3.9%	0.9%
Grade 7	83.1%	11.5%	3.8%	1.1%	0.5%
Grade 8	71.2%	18.7%	6.3%	3.4%	0.4%
Grade 9	70.2%	16.7%	8.9%	3.0%	1.2%
Grade 10	62.3%	24.0%	9.7%	3.5%	0.5%
Grade 11	55.4%	26.0%	10.6%	7.0%	1.1%
Grade 12	50.5%	26.1%	15.4%	6.2%	1.7%

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	78.3%	5.8%	3.9%	1.2%	1.1%	9.7%
Grade 7	77.4%	3.2%	1.5%	0.3%	1.3%	16.3%
Grade 8	80.8%	4.1%	2.4%	1.1%	0.9%	10.7%
Grade 9	79.8%	3.3%	4.1%	1.4%	1.9%	9.5%
Grade 10	81.5%	5.3%	3.6%	0.5%	0.7%	8.4%
Grade 11	77.4%	10.0%	5.0%	1.4%	0.7%	5.6%
Grade 12	71.9%	10.3%	8.2%	3.0%	0.7%	6.0%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	68.5%	18.6%	5.8%	1.2%	5.9%
Grade 7	79.4%	10.9%	3.3%	0.9%	5.4%
Grade 8	69.0%	17.3%	6.4%	0.7%	6.6%
Grade 9	71.6%	18.2%	3.2%	1.0%	6.0%
Grade 10	63.6%	21.0%	7.1%	1.5%	6.8%
Grade 11	61.6%	24.7%	7.1%	1.3%	5.3%
Grade 12	62.5%	21.7%	8.6%	2.0%	5.2%

Alcohol

Table A-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	21.9%	29.0%	49.3%	50.7%
Grade 7	9.2%	11.7%	28.5%	71.5%
Grade 8	16.1%	20.4%	43.9%	56.1%
Grade 9	18.5%	24.4%	43.2%	56.8%
Grade 10	26.3%	35.3%	57.7%	42.2%
Grade 11	33.5%	43.1%	64.0%	36.0%
Grade 12	33.5%	46.8%	66.3%	33.8%
Beer?				
All	14.9%	21.0%	38.9%	61.1%
Grade 7	5.6%	7.1%	20.8%	79.2%
Grade 8	10.9%	13.6%	33.6%	66.4%
Grade 9	12.5%	18.0%	33.6%	66.5%
Grade 10	16.3%	24.8%	45.5%	54.5%
Grade 11	23.7%	32.1%	51.0%	49.0%
Grade 12	24.7%	37.3%	56.8%	43.3%
Wine Coolers?				
All	12.4%	17.5%	29.9%	70.0%
Grade 7	4.0%	5.6%	13.2%	86.8%
Grade 8	7.1%	9.7%	20.9%	79.0%
Grade 9	9.7%	12.9%	24.8%	75.2%
Grade 10	15.6%	23.1%	38.3%	61.7%
Grade 11	20.0%	27.4%	42.8%	57.3%
Grade 12	22.2%	32.8%	47.2%	52.7%
Wine?				
All	9.3%	13.5%	28.3%	71.7%
Grade 7	3.9%	5.6%	13.5%	86.5%
Grade 8	6.5%	8.9%	23.2%	76.8%
Grade 9	9.4%	12.2%	26.3%	73.7%
Grade 10	11.1%	16.9%	33.3%	66.8%
Grade 11	13.1%	19.6%	37.4%	62.6%
Grade 12	13.9%	20.9%	41.5%	58.5%
Liquor?				
All	12.9%	19.2%	32.2%	67.8%
Grade 7	3.8%	5.4%	12.1%	87.9%
Grade 8	7.1%	9.9%	21.1%	79.0%
Grade 9	10.8%	16.9%	27.5%	72.4%
Grade 10	14.4%	24.0%	41.3%	58.6%
Grade 11	22.2%	30.9%	49.0%	51.0%
Grade 12	23.3%	34.5%	51.1%	48.8%

Table A-2: How often do you normally use alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	61.7%	0.4%	2.4%	6.9%	11.0%	9.6%	8.1%
Grade 7	83.7%	0.5%	1.2%	1.3%	2.8%	5.3%	5.3%
Grade 8	71.8%	0.4%	1.9%	3.6%	6.6%	8.0%	7.7%
Grade 9	67.1%	0.3%	1.5%	4.7%	10.7%	8.6%	7.1%
Grade 10	51.4%	0.2%	2.4%	10.5%	13.9%	11.7%	10.0%
Grade 11	46.3%	0.3%	4.3%	12.2%	16.5%	11.0%	9.4%
Grade 12	40.7%	0.8%	3.4%	11.5%	19.1%	14.7%	9.8%

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer						
	All	61.1%	38.7%	8.5%	19.8%	10.4%
	Grade 7	78.7%	21.2%	2.6%	10.3%	8.3%
	Grade 8	65.3%	34.8%	4.1%	18.1%	12.6%
	Grade 9	65.6%	34.3%	5.2%	18.5%	10.6%
	Grade 10	53.7%	46.3%	12.0%	22.2%	12.1%
	Grade 11	49.5%	50.5%	14.7%	26.7%	9.1%
	Grade 12	47.1%	52.9%	16.6%	26.7%	9.6%
Wine Coolers						
	All	69.1%	30.8%	6.6%	18.1%	6.1%
	Grade 7	86.9%	13.1%	2.3%	6.4%	4.4%
	Grade 8	76.3%	23.7%	3.2%	12.6%	7.9%
	Grade 9	73.5%	26.6%	5.7%	14.8%	6.1%
	Grade 10	60.5%	39.5%	8.9%	23.5%	7.1%
	Grade 11	57.2%	42.7%	11.5%	25.6%	5.6%
	Grade 12	52.4%	47.5%	10.8%	31.3%	5.4%
Wine						
	All	71.2%	28.7%	2.7%	15.4%	10.6%
	Grade 7	85.5%	14.4%	1.2%	7.2%	6.0%
	Grade 8	75.7%	24.3%	1.7%	12.1%	10.5%
	Grade 9	72.5%	27.5%	2.8%	15.0%	9.7%
	Grade 10	63.2%	36.9%	4.1%	20.5%	12.3%
	Grade 11	64.6%	35.5%	4.6%	18.2%	12.7%
	Grade 12	60.2%	39.8%	2.6%	23.1%	14.1%
Liquor						
	All	66.5%	33.4%	8.6%	17.4%	7.4%
	Grade 7	88.7%	11.3%	1.5%	4.9%	4.9%
	Grade 8	77.1%	22.8%	4.1%	11.9%	6.8%
	Grade 9	70.5%	29.4%	7.4%	14.8%	7.2%
	Grade 10	56.4%	43.7%	12.4%	21.9%	9.4%
	Grade 11	50.6%	49.2%	15.2%	25.2%	8.8%
	Grade 12	45.9%	54.2%	14.1%	31.8%	8.3%

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	85.2%	6.0%	3.3%	2.6%	1.0%	1.9%
Grade 7	94.1%	2.6%	1.4%	0.4%	0.4%	0.9%
Grade 8	89.7%	4.8%	1.9%	1.6%	0.8%	1.1%
Grade 9	88.8%	4.1%	2.3%	2.2%	0.6%	2.0%
Grade 10	81.5%	7.7%	4.7%	3.1%	1.5%	1.6%
Grade 11	77.0%	9.2%	4.8%	4.5%	1.3%	3.3%
Grade 12	75.9%	8.7%	6.1%	4.3%	1.8%	3.1%

Table A-5: Average age of first use of alcohol:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	10.6	11.4	12.7	13.5	14.2	14.9

Table A-6: If you wanted some, how difficult would it be to get alcohol?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	29.5%	13.0%	5.2%	10.5%	17.2%	24.5%
Grade 7	43.5%	24.5%	5.6%	7.8%	7.5%	11.0%
Grade 8	32.4%	17.1%	5.3%	11.2%	17.4%	16.7%
Grade 9	35.1%	12.3%	5.2%	11.8%	15.2%	20.4%
Grade 10	21.3%	8.9%	5.0%	9.6%	23.0%	32.2%
Grade 11	18.2%	8.1%	5.4%	11.4%	20.6%	36.4%
Grade 12	21.8%	3.3%	4.3%	12.1%	22.5%	36.0%

Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	95.6%	3.4%	0.5%	0.5%
Grade 7	97.0%	2.4%	0.1%	0.5%
Grade 8	95.8%	3.3%	0.4%	0.5%
Grade 9	96.8%	2.1%	0.3%	0.8%
Grade 10	95.0%	3.7%	0.9%	0.4%
Grade 11	95.6%	3.7%	0.4%	0.4%
Grade 12	92.3%	6.0%	1.4%	0.2%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users	4.0
Alcohol Non-Users	3.0
Average days conduct problems reported	
Alcohol Users	2.3
Alcohol Non-Users	1.0

Table A-9: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	94.4%	4.3%	0.8%	0.5%
Grade 9	96.9%	2.3%	0.3%	0.5%
Grade 10	95.7%	3.2%	1.0%	0.1%
Grade 11	94.2%	4.3%	0.8%	0.7%
Grade 12	89.8%	8.0%	1.3%	1.0%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	95.8%	3.8%	0.3%	0.1%
Grade 7	97.3%	2.5%	0.1%	0.1%
Grade 8	97.1%	2.6%	0.2%	0.0%
Grade 9	97.1%	2.3%	0.2%	0.5%
Grade 10	95.6%	4.3%	0.1%	0.0%
Grade 11	93.1%	6.1%	0.7%	0.1%
Grade 12	93.7%	5.8%	0.5%	0.0%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	94.9%	4.5%	0.4%	0.3%
Grade 7	97.6%	2.0%	0.0%	0.4%
Grade 8	96.4%	3.5%	0.1%	0.0%
Grade 9	95.7%	3.6%	0.2%	0.5%
Grade 10	93.8%	5.3%	0.6%	0.3%
Grade 11	91.1%	8.3%	0.5%	0.1%
Grade 12	93.3%	5.3%	1.1%	0.3%

Table A-10: About how many of your close friends use alcohol?

	None	A Few	Some	Most	All
All	44.7%	24.3%	14.7%	12.2%	4.1%
Grade 7	71.2%	19.0%	6.0%	2.8%	1.0%
Grade 8	54.6%	26.2%	11.7%	5.9%	1.6%
Grade 9	50.4%	24.1%	13.6%	8.7%	3.2%
Grade 10	29.2%	27.4%	21.7%	16.7%	4.9%
Grade 11	25.6%	28.8%	17.1%	22.2%	6.3%
Grade 12	28.3%	20.7%	21.3%	20.9%	8.8%

Table A-11: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	48.5%	7.9%	6.1%	9.1%	12.2%	2.5%	13.6%
Grade 7	70.8%	6.4%	3.6%	4.2%	1.7%	3.1%	10.2%
Grade 8	58.9%	9.8%	5.7%	5.9%	3.8%	3.4%	12.5%
Grade 9	51.2%	8.7%	7.0%	8.6%	8.4%	2.1%	13.9%
Grade 10	37.4%	9.8%	8.6%	13.3%	15.8%	2.3%	12.8%
Grade 11	32.3%	7.4%	6.9%	11.6%	22.3%	2.6%	16.8%
Grade 12	32.5%	5.1%	5.3%	12.5%	26.8%	1.2%	16.7%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	57.4%	23.8%	13.3%	4.3%	1.3%
	Grade 7	68.3%	24.3%	4.9%	2.2%	0.2%
	Grade 8	61.6%	23.9%	10.5%	3.0%	0.9%
	Grade 9	61.9%	18.9%	13.0%	4.8%	1.3%
	Grade 10	52.3%	23.7%	18.6%	4.1%	1.3%
	Grade 11	49.1%	24.8%	17.4%	5.8%	2.8%
	Grade 12	45.9%	27.6%	18.1%	6.6%	1.7%
Friends?	All	53.1%	19.1%	12.9%	11.2%	3.7%
	Grade 7	67.3%	23.5%	5.2%	3.6%	0.5%
	Grade 8	58.9%	25.2%	8.5%	5.8%	1.5%
	Grade 9	59.6%	16.9%	11.9%	8.7%	3.0%
	Grade 10	45.1%	18.0%	18.6%	12.5%	5.8%
	Grade 11	42.1%	15.1%	16.0%	20.3%	6.5%
	Grade 12	39.3%	13.6%	20.4%	20.2%	6.5%
Store?	All	56.1%	34.2%	4.5%	3.4%	1.9%
	Grade 7	69.2%	28.3%	1.4%	0.9%	0.3%
	Grade 8	61.5%	33.6%	3.0%	0.9%	0.9%
	Grade 9	62.0%	30.6%	3.1%	2.6%	1.7%
	Grade 10	48.8%	39.5%	5.8%	4.1%	1.8%
	Grade 11	47.3%	36.6%	6.8%	6.0%	3.3%
	Grade 12	41.6%	38.7%	8.6%	7.2%	3.9%
Parties?	All	50.3%	14.8%	10.8%	12.3%	11.8%
	Grade 7	64.6%	19.8%	6.9%	6.3%	2.4%
	Grade 8	54.7%	19.0%	11.4%	9.7%	5.2%
	Grade 9	57.4%	12.4%	10.1%	10.6%	9.5%
	Grade 10	41.6%	13.3%	12.4%	14.8%	17.9%
	Grade 11	39.6%	11.7%	12.9%	17.2%	18.6%
	Grade 12	37.5%	10.8%	12.3%	17.6%	21.7%
Other Source?	All	56.8%	24.1%	7.9%	5.8%	5.4%
	Grade 7	68.2%	23.3%	4.6%	3.1%	0.9%
	Grade 8	60.9%	25.4%	6.8%	3.7%	3.3%
	Grade 9	64.1%	19.7%	6.8%	3.7%	5.7%
	Grade 10	50.2%	26.0%	9.3%	7.5%	6.9%
	Grade 11	48.4%	25.1%	9.3%	8.9%	8.2%
	Grade 12	43.5%	25.7%	12.0%	9.7%	9.1%

Table A-13: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	67.1%	11.6%	7.7%	3.1%	1.3%	9.2%
Grade 7	72.1%	5.8%	3.1%	1.1%	1.4%	16.7%
Grade 8	72.5%	9.6%	4.7%	1.6%	0.6%	11.0%
Grade 9	69.1%	9.3%	7.4%	3.0%	2.1%	9.2%
Grade 10	66.3%	13.8%	7.5%	4.4%	1.3%	6.8%
Grade 11	62.8%	15.9%	11.0%	4.5%	1.1%	4.8%
Grade 12	56.4%	17.6%	15.1%	5.1%	1.4%	4.5%

Table A-14: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	55.7%	25.7%	11.7%	2.3%	4.6%
Grade 7	64.6%	19.4%	8.5%	2.3%	5.3%
Grade 8	55.5%	25.5%	11.6%	2.3%	5.0%
Grade 9	58.2%	23.7%	10.9%	2.6%	4.6%
Grade 10	50.0%	28.0%	13.1%	2.7%	6.3%
Grade 11	50.5%	31.5%	12.6%	2.1%	3.3%
Grade 12	52.8%	28.1%	14.5%	1.8%	2.8%

Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	10.4%	14.6%	25.6%	74.5%
Grade 7	3.4%	4.2%	8.4%	91.6%
Grade 8	6.7%	9.7%	17.5%	82.6%
Grade 9	9.9%	14.1%	24.2%	75.7%
Grade 10	12.7%	17.7%	31.8%	68.2%
Grade 11	14.2%	20.7%	37.0%	63.0%
Grade 12	18.2%	24.9%	40.7%	59.3%
Cocaine?				
All	1.1%	1.5%	3.2%	96.7%
Grade 7	0.7%	0.9%	1.3%	98.6%
Grade 8	0.5%	0.7%	1.8%	98.3%
Grade 9	1.7%	1.9%	2.6%	97.5%
Grade 10	0.7%	1.2%	3.7%	96.3%
Grade 11	1.0%	1.8%	4.7%	95.3%
Grade 12	2.4%	3.3%	6.8%	93.2%
Crack?				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.7%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.4%	0.6%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.7%	99.2%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens?				
All	0.8%	1.2%	2.3%	97.7%
Grade 7	0.4%	0.5%	0.7%	99.2%
Grade 8	0.8%	1.1%	1.4%	98.6%
Grade 9	0.9%	1.2%	2.2%	97.8%
Grade 10	1.3%	1.7%	3.8%	96.2%
Grade 11	0.8%	1.0%	2.8%	97.3%
Grade 12	1.0%	2.1%	3.7%	96.3%
Rohypnol?				
All	0.6%	0.7%	1.6%	98.3%
Grade 7	0.1%	0.3%	0.7%	99.4%
Grade 8	0.6%	0.7%	1.5%	98.5%
Grade 9	1.1%	1.2%	1.8%	98.1%
Grade 10	1.0%	1.1%	2.1%	98.0%
Grade 11	0.5%	0.7%	2.6%	97.4%
Grade 12	0.4%	0.6%	1.7%	98.4%

**Table D-1: How recently, if ever, have you used ...
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.6%	0.8%	1.0%	99.1%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.7%	0.7%	1.0%	98.9%
Grade 11	0.8%	1.0%	1.6%	98.5%
Grade 12	0.4%	0.5%	0.6%	99.4%
Ecstasy?				
All	1.6%	2.3%	4.6%	95.4%
Grade 7	0.3%	0.5%	0.8%	99.2%
Grade 8	1.4%	1.5%	2.5%	97.5%
Grade 9	1.3%	2.4%	3.8%	96.2%
Grade 10	2.6%	3.9%	6.6%	93.4%
Grade 11	2.0%	2.5%	6.5%	93.6%
Grade 12	2.5%	3.8%	9.0%	91.1%
Heroin?				
All	0.1%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.3%	99.6%
Grade 8	0.3%	0.5%	0.8%	99.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.4%	0.9%	99.1%
Grade 11	0.0%	0.5%	0.6%	99.4%
Grade 12	0.1%	0.1%	0.3%	99.7%
Methamphetamine?				
All	0.3%	0.4%	0.8%	99.3%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.1%	0.2%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana?				
All	3.0%	4.4%	8.8%	91.2%
Grade 7	1.5%	2.2%	3.7%	96.3%
Grade 8	3.3%	4.7%	6.9%	93.1%
Grade 9	4.1%	4.9%	8.6%	91.3%
Grade 10	3.1%	5.4%	12.1%	88.0%
Grade 11	3.1%	4.3%	12.4%	87.6%
Grade 12	3.1%	4.8%	10.5%	89.4%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	77.6%	2.2%	2.8%	3.6%	4.3%	4.0%	5.6%
	Grade 7	92.2%	0.6%	1.0%	1.4%	1.8%	1.1%	1.9%
	Grade 8	85.6%	1.3%	2.2%	2.0%	2.9%	2.1%	3.8%
	Grade 9	78.6%	2.5%	2.4%	3.5%	3.9%	4.1%	5.0%
	Grade 10	71.5%	2.4%	4.2%	4.8%	4.7%	5.2%	7.2%
	Grade 11	67.8%	2.8%	3.8%	4.5%	6.2%	6.0%	8.9%
	Grade 12	63.4%	4.2%	4.0%	6.4%	7.2%	6.5%	8.3%
Cocaine?								
	All	98.0%	0.2%	0.0%	0.2%	0.4%	0.5%	0.7%
	Grade 7	99.4%	0.2%	0.0%	0.1%	0.0%	0.2%	0.1%
	Grade 8	99.0%	0.0%	0.0%	0.1%	0.1%	0.6%	0.2%
	Grade 9	98.3%	0.3%	0.0%	0.2%	0.3%	0.5%	0.4%
	Grade 10	98.4%	0.0%	0.0%	0.2%	0.2%	0.7%	0.4%
	Grade 11	96.8%	0.0%	0.1%	0.3%	0.3%	0.8%	1.6%
	Grade 12	95.5%	0.5%	0.0%	0.4%	1.5%	0.4%	1.6%
Crack?								
	All	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.7%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%
	Grade 9	99.6%	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 11	99.4%	0.2%	0.0%	0.0%	0.0%	0.0%	0.4%
	Grade 12	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Steroids?								
	All	99.4%	0.1%	0.0%	0.1%	0.0%	0.1%	0.3%
	Grade 7	99.3%	0.3%	0.0%	0.1%	0.0%	0.0%	0.3%
	Grade 8	99.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.4%	0.1%	0.0%	0.2%	0.1%	0.1%	0.2%
	Grade 11	98.8%	0.1%	0.2%	0.1%	0.0%	0.2%	0.5%
	Grade 12	99.3%	0.1%	0.1%	0.2%	0.0%	0.0%	0.4%

**Table D-2: How often do you normally use ...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	96.5%	0.0%	0.2%	0.3%	0.9%	1.0%	1.2%
	Grade 7	99.4%	0.1%	0.0%	0.0%	0.1%	0.4%	0.1%
	Grade 8	98.1%	0.0%	0.4%	0.5%	0.2%	0.6%	0.1%
	Grade 9	97.1%	0.0%	0.2%	0.0%	1.1%	0.8%	0.8%
	Grade 10	94.4%	0.1%	0.3%	0.7%	1.6%	1.9%	0.9%
	Grade 11	94.8%	0.0%	0.3%	0.2%	0.9%	1.8%	2.0%
	Grade 12	93.7%	0.0%	0.0%	0.2%	1.5%	0.8%	3.7%
Heroin?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 8	99.7%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.8%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 11	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 8	99.7%	0.0%	0.0%	0.2%	0.0%	0.0%	0.1%
	Grade 9	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.3%	0.1%	0.2%	0.2%	0.0%	0.0%	0.2%
	Grade 11	99.8%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Synthetic Marijuana?								
	All	92.5%	0.3%	0.6%	0.4%	1.5%	1.8%	2.8%
	Grade 7	96.6%	0.2%	0.2%	0.3%	1.3%	0.5%	1.0%
	Grade 8	94.2%	0.8%	0.8%	0.3%	1.8%	1.0%	1.1%
	Grade 9	91.5%	0.8%	1.1%	0.6%	1.0%	2.1%	2.8%
	Grade 10	90.4%	0.0%	0.4%	0.6%	1.6%	2.7%	4.3%
	Grade 11	89.7%	0.1%	0.3%	0.5%	2.6%	2.2%	4.6%
	Grade 12	91.5%	0.0%	0.7%	0.1%	0.9%	2.7%	4.0%

Table D-3: Average age of first use of:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	11.6	12.3	13.0	13.7	14.2	15.0
Cocaine	11.4	12.2	13.7	14.5	15.0	16.2
Crack	11.5	11.9	10.2	14.0	13.6	12.0
Steroids	10.4	11.3	*	12.6	15.4	14.7
Ecstasy	12.7	12.9	13.8	14.2	15.0	16.2
Heroin	10.3	8.6	15.0	12.9	11.7	17.0
Methamphetamine	10.9	12.3	13.9	13.2	12.7	15.0
Synthetic Marijuana	12.1	12.6	13.5	14.0	14.9	15.4

Table D-4: Age of first use of marijuana by family situation

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
Two Parent Family									
All	80.9%	0.4%	0.1%	1.6%	5.6%	7.4%	3.6%	0.2%	
Grade 7	93.6%	0.4%	0.1%	1.7%	3.8%	0.3%	0.0%	0.0%	
Grade 8	88.0%	0.4%	0.2%	1.8%	8.1%	1.6%	0.0%	0.0%	
Grade 9	82.0%	0.2%	0.0%	2.3%	6.6%	8.2%	0.7%	0.0%	
Grade 10	75.4%	0.3%	0.0%	2.0%	5.4%	14.8%	2.2%	0.0%	
Grade 11	69.5%	0.7%	0.4%	1.0%	5.9%	13.1%	9.2%	0.2%	
Grade 12	71.4%	0.4%	0.2%	0.5%	4.1%	8.8%	13.0%	1.5%	
Other Family Situation									
All	65.1%	0.9%	0.5%	3.1%	11.7%	13.0%	5.5%	0.3%	
Grade 7	85.7%	0.7%	0.5%	4.1%	7.6%	1.5%	0.0%	0.0%	
Grade 8	76.4%	1.3%	0.0%	3.0%	14.6%	4.5%	0.0%	0.1%	
Grade 9	66.8%	0.9%	1.2%	4.2%	13.8%	12.7%	0.5%	0.0%	
Grade 10	58.9%	1.0%	0.2%	3.8%	12.6%	19.7%	3.7%	0.0%	
Grade 11	54.5%	0.2%	0.4%	2.3%	10.4%	23.4%	8.7%	0.0%	
Grade 12	42.7%	1.1%	0.4%	0.6%	10.6%	19.4%	23.5%	1.7%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	32.5%	16.8%	5.2%	8.7%	13.4%	23.4%
	Grade 7	45.2%	29.8%	4.9%	6.2%	5.9%	8.0%
	Grade 8	37.6%	20.7%	7.5%	9.1%	10.6%	14.5%
	Grade 9	36.0%	14.8%	4.0%	9.1%	14.9%	21.3%
	Grade 10	23.3%	12.9%	5.0%	9.9%	16.9%	32.0%
	Grade 11	23.6%	11.2%	4.2%	9.7%	15.6%	35.7%
	Grade 12	24.8%	7.2%	5.5%	8.4%	19.1%	35.1%
Cocaine	All	43.2%	23.9%	10.3%	9.0%	6.7%	6.9%
	Grade 7	52.6%	31.9%	6.1%	3.9%	2.9%	2.7%
	Grade 8	45.8%	27.0%	11.3%	6.9%	4.8%	4.1%
	Grade 9	46.5%	23.1%	8.4%	9.1%	6.4%	6.5%
	Grade 10	36.6%	22.9%	9.9%	12.4%	9.4%	8.6%
	Grade 11	37.2%	20.0%	12.3%	11.2%	10.5%	8.8%
	Grade 12	37.2%	15.2%	15.0%	12.1%	7.5%	13.0%
Crack	All	47.1%	24.7%	10.5%	8.1%	4.5%	5.0%
	Grade 7	56.8%	30.8%	4.9%	3.0%	2.2%	2.3%
	Grade 8	49.0%	27.1%	10.5%	6.2%	3.6%	3.6%
	Grade 9	50.0%	23.4%	8.5%	7.5%	4.7%	5.8%
	Grade 10	40.6%	24.6%	11.2%	11.8%	5.9%	5.9%
	Grade 11	42.1%	22.0%	13.0%	10.3%	6.5%	6.1%
	Grade 12	40.9%	18.1%	17.0%	11.7%	4.8%	7.5%
Steroids	All	48.4%	25.1%	9.0%	7.6%	5.3%	4.5%
	Grade 7	58.3%	29.5%	5.2%	2.8%	2.6%	1.6%
	Grade 8	50.5%	27.8%	8.1%	6.2%	3.5%	3.9%
	Grade 9	51.3%	24.5%	8.1%	6.6%	4.9%	4.8%
	Grade 10	42.2%	24.4%	11.1%	11.0%	7.0%	4.4%
	Grade 11	42.8%	22.9%	10.9%	8.5%	8.9%	6.0%
	Grade 12	42.1%	19.7%	12.1%	12.2%	6.1%	7.8%

**Table D-5: If you wanted some, how difficult would it be to get ...
(Continued)**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?	All	50.4%	20.4%	7.4%	7.2%	7.0%	7.6%
	Grade 7	65.1%	25.5%	4.2%	2.0%	1.6%	1.6%
	Grade 8	57.7%	23.2%	6.3%	5.8%	3.3%	3.7%
	Grade 9	53.0%	19.2%	6.0%	9.0%	6.7%	6.3%
	Grade 10	40.7%	21.2%	9.5%	9.3%	9.0%	10.3%
	Grade 11	41.4%	18.6%	9.2%	8.7%	10.5%	11.6%
	Grade 12	38.9%	12.7%	10.3%	10.1%	13.4%	14.6%
Heroin?	All	52.7%	25.4%	9.4%	5.6%	3.2%	3.6%
	Grade 7	63.8%	27.6%	3.8%	1.9%	1.3%	1.6%
	Grade 8	57.3%	25.2%	8.1%	4.3%	2.4%	2.7%
	Grade 9	54.3%	25.3%	8.1%	4.6%	3.7%	3.9%
	Grade 10	44.9%	27.6%	10.3%	8.4%	4.6%	4.3%
	Grade 11	46.8%	25.1%	12.6%	6.9%	4.5%	4.0%
	Grade 12	45.1%	20.8%	15.8%	8.9%	3.5%	5.9%
Methamphetamine?	All	55.3%	23.9%	9.1%	5.3%	2.8%	3.7%
	Grade 7	65.4%	26.5%	3.8%	1.9%	1.5%	1.0%
	Grade 8	61.2%	22.5%	7.8%	3.9%	1.7%	3.0%
	Grade 9	56.8%	23.2%	8.1%	4.6%	3.4%	3.9%
	Grade 10	49.2%	24.7%	9.6%	7.9%	3.6%	4.9%
	Grade 11	49.3%	24.3%	12.0%	6.2%	3.8%	4.4%
	Grade 12	45.8%	21.9%	15.1%	8.6%	2.9%	5.8%
Synthetic Marijuana?	All	50.0%	17.9%	6.3%	6.6%	7.5%	11.7%
	Grade 7	61.2%	25.4%	4.7%	2.1%	2.4%	4.3%
	Grade 8	55.5%	19.6%	5.4%	6.4%	5.7%	7.4%
	Grade 9	51.8%	15.6%	5.7%	6.9%	7.7%	12.2%
	Grade 10	42.3%	16.8%	6.6%	7.7%	12.4%	14.2%
	Grade 11	42.5%	16.2%	6.6%	8.7%	9.7%	16.2%
	Grade 12	42.2%	11.7%	9.4%	8.9%	8.6%	19.1%

Table D-6: Since school began in the fall, on how many days (if any) have you ...

	None	1-3 Days	4-9 Days	10+ Days
Attended Class While High From Marijuana Use?				
All	90.3%	5.9%	1.4%	2.5%
Grade 7	95.0%	3.7%	0.7%	0.6%
Grade 8	92.7%	4.9%	1.1%	1.3%
Grade 9	89.7%	6.2%	1.0%	3.0%
Grade 10	88.3%	7.0%	1.8%	2.9%
Grade 11	88.8%	6.4%	1.3%	3.5%
Grade 12	85.1%	8.1%	2.7%	4.1%
Attended Class While High From Use Of Some Other Drug?				
All	96.2%	2.6%	0.6%	0.7%
Grade 7	97.1%	2.1%	0.2%	0.6%
Grade 8	97.1%	1.8%	0.5%	0.6%
Grade 9	95.9%	2.7%	0.5%	0.9%
Grade 10	95.2%	3.1%	1.0%	0.7%
Grade 11	96.1%	2.6%	0.5%	0.9%
Grade 12	95.3%	3.6%	0.8%	0.3%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users	4.2
Marijuana Non-Users	3.1
Average days conduct problems reported	
Marijuana Users	3.2
Marijuana Non-Users	1.1

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	92.9%	4.6%	0.8%	1.7%
Grade 9	96.3%	2.4%	0.0%	1.3%
Grade 10	95.4%	2.9%	0.6%	1.2%
Grade 11	91.6%	6.0%	1.3%	1.1%
Grade 12	87.2%	7.6%	1.7%	3.5%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	95.3%	3.9%	0.5%	0.3%
Grade 7	97.3%	2.2%	0.3%	0.2%
Grade 8	96.2%	2.7%	0.8%	0.3%
Grade 9	94.3%	5.1%	0.3%	0.3%
Grade 10	94.3%	4.7%	0.8%	0.1%
Grade 11	94.4%	5.0%	0.5%	0.2%
Grade 12	94.6%	4.2%	0.2%	1.0%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	94.6%	4.0%	0.8%	0.5%
Grade 7	97.5%	1.9%	0.2%	0.4%
Grade 8	96.4%	2.6%	0.6%	0.3%
Grade 9	94.2%	4.4%	1.0%	0.3%
Grade 10	92.5%	6.0%	0.9%	0.6%
Grade 11	92.1%	5.4%	1.9%	0.6%
Grade 12	94.3%	4.6%	0.4%	0.8%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	All
All	49.0%	20.4%	13.2%	12.7%	4.6%
Grade 7	71.5%	15.0%	6.3%	5.2%	2.0%
Grade 8	57.1%	19.6%	11.2%	9.4%	2.7%
Grade 9	50.6%	20.4%	13.6%	11.1%	4.3%
Grade 10	36.6%	25.1%	14.4%	18.4%	5.5%
Grade 11	34.2%	24.8%	17.5%	18.2%	5.3%
Grade 12	36.8%	18.6%	19.0%	16.5%	9.2%

Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	55.1%	6.3%	5.5%	7.5%	9.2%	2.8%	13.5%
Grade 7	75.5%	3.4%	4.1%	2.7%	1.6%	2.5%	10.1%
Grade 8	65.9%	6.3%	3.1%	4.3%	4.4%	3.7%	12.3%
Grade 9	57.6%	6.0%	5.9%	7.6%	6.6%	2.3%	14.1%
Grade 10	46.4%	8.1%	8.4%	9.7%	11.4%	3.2%	12.9%
Grade 11	39.9%	8.3%	5.3%	11.0%	15.8%	2.9%	16.8%
Grade 12	37.5%	6.3%	6.7%	11.9%	19.2%	2.3%	16.1%

Table D-11: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	78.6%	4.4%	4.6%	1.5%	1.9%	9.1%
Grade 7	76.5%	2.1%	2.1%	0.8%	1.7%	16.7%
Grade 8	80.0%	3.5%	2.8%	1.1%	2.0%	10.6%
Grade 9	78.5%	4.3%	4.0%	1.6%	2.6%	8.9%
Grade 10	79.5%	4.9%	5.5%	1.8%	1.5%	6.9%
Grade 11	79.9%	6.8%	5.7%	1.7%	1.6%	4.2%
Grade 12	77.2%	5.4%	8.5%	2.0%	1.8%	5.1%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?	All	59.7%	12.8%	10.4%	12.1%	4.9%
	Grade 7	78.9%	8.0%	4.4%	3.9%	4.8%
	Grade 8	68.2%	12.3%	7.9%	6.3%	5.2%
	Grade 9	60.6%	12.9%	8.8%	13.3%	4.4%
	Grade 10	47.8%	16.1%	14.4%	15.7%	6.1%
	Grade 11	49.6%	14.8%	12.8%	17.8%	5.0%
	Grade 12	46.2%	14.3%	16.7%	19.2%	3.6%
Cocaine?	All	87.3%	5.8%	1.2%	0.6%	5.1%
	Grade 7	88.1%	4.2%	1.7%	0.9%	5.2%
	Grade 8	86.0%	7.1%	1.4%	0.3%	5.3%
	Grade 9	87.1%	6.3%	0.5%	0.6%	5.5%
	Grade 10	84.8%	7.4%	1.2%	0.7%	5.9%
	Grade 11	89.0%	5.1%	0.9%	0.5%	4.5%
	Grade 12	89.4%	4.7%	1.4%	0.8%	3.8%
Crack?	All	88.3%	5.0%	0.8%	0.7%	5.3%
	Grade 7	88.5%	4.0%	1.0%	0.8%	5.7%
	Grade 8	86.3%	6.8%	1.1%	0.5%	5.4%
	Grade 9	88.1%	4.3%	0.5%	1.0%	6.1%
	Grade 10	86.1%	6.7%	1.1%	0.3%	5.8%
	Grade 11	90.6%	4.1%	0.4%	0.6%	4.2%
	Grade 12	91.2%	3.8%	0.3%	0.7%	4.0%
Ecstasy?	All	81.8%	8.0%	2.3%	1.2%	6.7%
	Grade 7	86.0%	4.6%	0.7%	0.7%	8.0%
	Grade 8	81.6%	7.1%	2.5%	1.2%	7.6%
	Grade 9	81.0%	8.0%	2.3%	1.4%	7.3%
	Grade 10	79.1%	10.0%	3.2%	1.0%	6.8%
	Grade 11	81.9%	9.2%	2.5%	1.4%	4.9%
	Grade 12	80.4%	10.3%	3.1%	1.3%	4.9%

**Table D-12: How dangerous do you think it is for kids your age to use ...
(Continued)**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	82.1%	5.7%	1.9%	1.0%	9.2%
	Grade 7	85.1%	4.6%	0.8%	0.6%	8.9%
	Grade 8	81.7%	5.6%	1.8%	0.6%	10.3%
	Grade 9	83.0%	4.6%	1.6%	1.0%	9.9%
	Grade 10	79.1%	6.6%	2.9%	0.9%	10.5%
	Grade 11	81.5%	5.7%	2.4%	1.4%	8.9%
	Grade 12	81.6%	7.9%	2.2%	1.8%	6.4%
Steroids?	All	79.7%	9.9%	2.7%	1.1%	6.5%
	Grade 7	83.6%	7.1%	1.5%	0.8%	7.0%
	Grade 8	79.6%	9.7%	2.8%	0.7%	7.2%
	Grade 9	80.6%	9.6%	2.1%	0.8%	6.9%
	Grade 10	75.6%	12.5%	3.7%	1.5%	6.8%
	Grade 11	79.7%	10.5%	3.0%	1.3%	5.5%
	Grade 12	78.2%	11.2%	3.7%	1.5%	5.4%
Heroin?	All	88.1%	4.4%	0.7%	0.5%	6.4%
	Grade 7	86.5%	4.4%	0.8%	0.6%	7.7%
	Grade 8	85.2%	5.8%	1.4%	0.2%	7.3%
	Grade 9	88.2%	4.5%	0.3%	0.6%	6.4%
	Grade 10	86.9%	4.9%	0.8%	0.3%	7.0%
	Grade 11	90.9%	3.5%	0.4%	0.5%	4.7%
	Grade 12	92.0%	2.8%	0.3%	0.5%	4.4%
Methamphetamine?	All	87.8%	4.2%	0.6%	0.5%	6.9%
	Grade 7	85.8%	5.1%	0.9%	0.7%	7.6%
	Grade 8	84.7%	5.4%	1.1%	0.3%	8.4%
	Grade 9	87.8%	3.8%	0.3%	0.8%	7.3%
	Grade 10	86.7%	4.4%	0.8%	0.3%	7.7%
	Grade 11	90.4%	3.7%	0.4%	0.4%	5.0%
	Grade 12	92.7%	2.0%	0.2%	0.6%	4.4%
Synthetic Marijuana?	All	79.7%	8.3%	3.0%	1.8%	7.4%
	Grade 7	84.5%	5.3%	1.9%	1.4%	6.9%
	Grade 8	78.6%	8.2%	3.1%	1.8%	8.4%
	Grade 9	78.7%	8.8%	3.0%	1.8%	7.6%
	Grade 10	75.6%	9.7%	4.2%	1.9%	8.5%
	Grade 11	79.5%	10.1%	2.6%	1.6%	6.2%
	Grade 12	80.3%	8.0%	3.3%	2.2%	6.2%

Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	4.1%	6.0%	9.8%	90.1%
Grade 7	1.7%	2.3%	4.2%	95.8%
Grade 8	2.4%	2.8%	6.3%	93.7%
Grade 9	3.6%	5.2%	9.0%	91.0%
Grade 10	4.2%	7.5%	12.2%	87.8%
Grade 11	7.0%	9.8%	14.5%	85.5%
Grade 12	6.8%	10.4%	15.3%	84.6%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	0.8%	1.2%	1.9%	98.1%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.6%	0.6%	0.9%	99.0%
Grade 10	0.7%	1.2%	2.1%	97.9%
Grade 11	2.0%	2.4%	3.6%	96.4%
Grade 12	1.3%	3.1%	3.9%	96.1%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	1.7%	2.1%	3.5%	96.5%
Grade 7	0.4%	0.5%	1.0%	98.9%
Grade 8	0.4%	0.4%	0.8%	99.3%
Grade 9	1.2%	1.2%	2.1%	98.0%
Grade 10	2.2%	3.2%	4.5%	95.4%
Grade 11	3.1%	3.8%	6.2%	93.8%
Grade 12	3.5%	4.5%	7.8%	92.2%
Valium Or Diazepam?				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.2%	99.7%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.8%	1.0%	1.6%	98.4%
Grade 11	1.3%	1.6%	2.1%	98.0%
Grade 12	0.9%	1.2%	1.8%	98.2%
Xanax Or Alprazolam?				
All	1.8%	2.4%	3.5%	96.6%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.9%	1.3%	98.8%
Grade 9	1.8%	2.2%	3.7%	96.3%
Grade 10	1.1%	2.2%	3.4%	96.5%
Grade 11	5.2%	5.7%	7.5%	92.5%
Grade 12	2.3%	3.5%	5.3%	94.7%

Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.4%	1.7%	3.1%	96.8%
Grade 7	1.1%	1.4%	3.1%	96.9%
Grade 8	0.8%	0.9%	2.4%	97.6%
Grade 9	1.9%	2.2%	3.6%	96.4%
Grade 10	2.2%	3.0%	5.0%	95.0%
Grade 11	1.9%	2.2%	3.4%	96.7%
Grade 12	0.8%	0.9%	1.6%	98.4%

Inhalants

Table I-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.8%	1.1%	2.8%	97.2%
Grade 7	1.3%	1.9%	4.1%	96.0%
Grade 8	1.3%	1.7%	4.7%	95.3%
Grade 9	0.4%	0.4%	1.0%	98.9%
Grade 10	0.6%	1.0%	2.4%	97.6%
Grade 11	0.2%	0.4%	2.4%	97.6%
Grade 12	0.6%	0.6%	1.4%	98.6%
Whiteout, Correction Fluid, Magic Markers?				
All	2.2%	3.1%	7.2%	92.9%
Grade 7	3.5%	5.4%	11.1%	88.8%
Grade 8	3.6%	4.5%	9.7%	90.3%
Grade 9	1.9%	2.4%	5.5%	94.5%
Grade 10	1.7%	2.8%	6.7%	93.3%
Grade 11	1.3%	1.7%	5.5%	94.4%
Grade 12	0.3%	0.5%	2.3%	97.6%
Computer Dusting Sprays?				
All	0.7%	0.9%	2.2%	97.8%
Grade 7	0.9%	1.4%	2.2%	97.8%
Grade 8	1.0%	1.1%	1.9%	98.1%
Grade 9	0.8%	1.0%	1.4%	98.6%
Grade 10	0.6%	0.6%	2.4%	97.6%
Grade 11	0.4%	0.5%	1.9%	98.1%
Grade 12	0.0%	0.3%	3.3%	96.6%
Helium, Butane, Propane, Whippets, Freon?				
All	2.1%	2.9%	7.3%	92.7%
Grade 7	2.3%	3.2%	7.7%	92.4%
Grade 8	2.6%	3.5%	9.3%	90.7%
Grade 9	2.0%	2.2%	5.0%	95.0%
Grade 10	2.6%	3.4%	9.6%	90.4%
Grade 11	1.9%	2.8%	6.6%	93.4%
Grade 12	1.4%	2.8%	5.7%	94.4%
Glue?				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.6%	1.2%	2.3%	97.7%
Grade 8	0.8%	0.9%	1.7%	98.2%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.0%	0.1%	0.6%	99.5%

**Table I-1: How recently, if ever, have you used ...
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.7%	1.0%	1.6%	98.4%
Grade 7	1.0%	1.6%	2.4%	97.6%
Grade 8	1.3%	1.8%	2.4%	97.6%
Grade 9	0.5%	0.7%	1.1%	98.9%
Grade 10	0.6%	0.7%	1.1%	98.9%
Grade 11	0.1%	0.1%	1.0%	99.0%
Grade 12	0.3%	0.6%	1.1%	98.9%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	0.9%	1.2%	2.4%	97.6%
Grade 7	1.5%	2.2%	3.9%	96.1%
Grade 8	1.7%	2.0%	4.1%	95.9%
Grade 9	0.7%	1.0%	1.4%	98.6%
Grade 10	0.9%	0.9%	2.2%	97.8%
Grade 11	0.4%	0.9%	1.9%	98.1%
Grade 12	0.1%	0.2%	0.3%	99.7%
Other Aerosols/Sprays?				
All	0.9%	1.2%	2.3%	97.7%
Grade 7	1.7%	2.5%	4.6%	95.4%
Grade 8	1.7%	2.0%	3.3%	96.7%
Grade 9	0.5%	0.7%	1.3%	98.7%
Grade 10	0.3%	0.3%	1.3%	98.6%
Grade 11	0.5%	0.8%	1.7%	98.3%
Grade 12	0.1%	0.1%	0.6%	99.4%
Any Inhalant?				
All	5.3%	6.6%	14.2%	85.8%
Grade 7	7.5%	9.4%	17.3%	82.7%
Grade 8	7.6%	8.8%	18.0%	82.0%
Grade 9	4.5%	5.0%	10.8%	89.2%
Grade 10	5.0%	5.9%	14.8%	85.2%
Grade 11	3.9%	5.2%	12.7%	87.3%
Grade 12	2.3%	4.3%	9.8%	90.2%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.3%	0.2%	0.3%	0.3%	0.7%	0.7%	1.5%
Grade 7	94.4%	0.2%	0.7%	0.8%	1.1%	1.1%	1.7%
Grade 8	94.1%	0.6%	0.5%	0.4%	1.0%	1.3%	2.1%
Grade 9	97.0%	0.0%	0.1%	0.2%	0.9%	0.5%	1.4%
Grade 10	97.4%	0.0%	0.0%	0.4%	0.4%	0.5%	1.3%
Grade 11	97.4%	0.2%	0.2%	0.1%	0.1%	0.6%	1.5%
Grade 12	98.4%	0.0%	0.0%	0.0%	0.3%	0.3%	1.0%

Table I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	86.0%	7.8%	4.6%	1.6%
Grade 7	82.8%	8.6%	5.2%	3.3%
Grade 8	82.2%	8.1%	7.7%	2.0%
Grade 9	89.3%	6.6%	3.4%	0.7%
Grade 10	85.4%	8.2%	5.1%	1.3%
Grade 11	87.5%	8.4%	2.7%	1.4%
Grade 12	90.2%	6.6%	2.9%	0.3%

Table I-4: Average age of first use of inhalants:

	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.0	10.9	11.8	12.3	13.0	13.7

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1 to 3 days	4 to 9 days	10+ days
All	98.6%	1.1%	0.1%	0.2%
Grade 7	97.8%	1.8%	0.2%	0.2%
Grade 8	97.9%	1.9%	0.1%	0.2%
Grade 9	98.5%	1.0%	0.1%	0.4%
Grade 10	99.3%	0.4%	0.3%	0.0%
Grade 11	99.3%	0.6%	0.0%	0.0%
Grade 12	99.1%	0.6%	0.0%	0.4%

Table I-6: School year use of inhalants by absences and conduct problems:

	Average days absent due to illness or other reasons
Inhalants Users	4.2
Inhalants Non-Users	3.3
	Average days conduct problems reported
Inhalants Users	3.5
Inhalants Non-Users	1.3

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	All
All	87.8%	7.9%	3.0%	0.9%	0.3%
Grade 7	84.4%	10.4%	3.4%	1.2%	0.6%
Grade 8	86.4%	8.2%	3.7%	1.1%	0.6%
Grade 9	89.4%	6.6%	2.5%	1.3%	0.1%
Grade 10	87.2%	8.9%	3.1%	0.7%	0.1%
Grade 11	88.9%	6.9%	3.3%	0.7%	0.3%
Grade 12	91.9%	5.8%	1.6%	0.5%	0.2%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	78.0%	10.2%	3.5%	1.0%	7.3%
Grade 7	78.2%	9.1%	4.6%	1.4%	6.7%
Grade 8	73.8%	12.5%	4.9%	1.2%	7.5%
Grade 9	78.4%	10.3%	2.1%	1.1%	8.1%
Grade 10	74.8%	11.4%	4.2%	0.8%	8.8%
Grade 11	81.4%	9.0%	2.5%	0.9%	6.2%
Grade 12	82.6%	8.6%	2.2%	0.4%	6.3%

Table I-9: If you wanted some, how difficult would it be to get inhalants?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	47.1%	13.8%	4.0%	5.6%	9.1%	20.4%
Grade 7	53.9%	21.0%	4.2%	3.5%	6.2%	11.2%
Grade 8	46.8%	16.4%	5.1%	4.0%	8.2%	19.4%
Grade 9	51.3%	13.1%	3.3%	5.1%	9.0%	18.2%
Grade 10	42.5%	12.6%	3.0%	6.4%	10.3%	25.3%
Grade 11	43.5%	10.2%	3.9%	6.4%	10.3%	25.8%
Grade 12	42.5%	7.2%	4.4%	9.3%	11.5%	25.1%

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

		Yes
A School Health Class		
	All	52.5%
	Grade 7	59.2%
	Grade 8	53.6%
	Grade 9	45.9%
	Grade 10	54.8%
	Grade 11	53.4%
	Grade 12	47.3%
An Assembly Program		
	All	50.2%
	Grade 7	62.2%
	Grade 8	65.1%
	Grade 9	44.5%
	Grade 10	42.8%
	Grade 11	38.8%
	Grade 12	43.7%
Guidance Counselor		
	All	38.6%
	Grade 7	49.1%
	Grade 8	51.1%
	Grade 9	37.1%
	Grade 10	29.6%
	Grade 11	30.3%
	Grade 12	30.3%
Science Or Social Studies Class		
	All	33.4%
	Grade 7	36.1%
	Grade 8	34.1%
	Grade 9	36.5%
	Grade 10	31.1%
	Grade 11	29.6%
	Grade 12	32.3%

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?
(Continued)

	Yes
Student Group Or Club Meeting At School	
All	22.2%
Grade 7	24.7%
Grade 8	22.6%
Grade 9	24.4%
Grade 10	19.6%
Grade 11	19.4%
Grade 12	22.0%
An Invited School Guest	
All	40.3%
Grade 7	48.3%
Grade 8	51.5%
Grade 9	35.1%
Grade 10	35.2%
Grade 11	32.1%
Grade 12	36.6%
Another Source At School	
All	35.9%
Grade 7	40.9%
Grade 8	38.5%
Grade 9	36.2%
Grade 10	31.4%
Grade 11	32.2%
Grade 12	34.7%
Any School Source	
All	72.7%
Grade 7	79.3%
Grade 8	78.5%
Grade 9	66.1%
Grade 10	73.5%
Grade 11	69.7%
Grade 12	67.3%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	45.7%
	Grade 7	56.6%
	Grade 8	52.8%
	Grade 9	44.4%
	Grade 10	39.9%
	Grade 11	37.6%
	Grade 12	39.2%
Another Adult In School		
	All	47.5%
	Grade 7	53.3%
	Grade 8	52.4%
	Grade 9	46.2%
	Grade 10	41.9%
	Grade 11	41.3%
	Grade 12	47.8%
Counselor/Program Outside-School		
	All	44.3%
	Grade 7	48.2%
	Grade 8	47.3%
	Grade 9	46.6%
	Grade 10	39.1%
	Grade 11	39.5%
	Grade 12	43.6%
Your Parents		
	All	67.5%
	Grade 7	73.7%
	Grade 8	69.6%
	Grade 9	64.4%
	Grade 10	63.6%
	Grade 11	66.8%
	Grade 12	65.2%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

		Yes
A Medical Doctor		
	All	55.4%
	Grade 7	62.1%
	Grade 8	58.8%
	Grade 9	55.9%
	Grade 10	48.5%
	Grade 11	52.6%
	Grade 12	52.4%
Your Friends		
	All	60.3%
	Grade 7	50.9%
	Grade 8	54.7%
	Grade 9	62.6%
	Grade 10	62.0%
	Grade 11	65.6%
	Grade 12	69.4%
Another Adult		
	All	61.2%
	Grade 7	59.3%
	Grade 8	60.7%
	Grade 9	58.9%
	Grade 10	60.4%
	Grade 11	64.2%
	Grade 12	64.6%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

		Yes
Sought Help For Drug/Alcohol Problem		
	All	11.1%
	Grade 7	11.1%
	Grade 8	12.8%
	Grade 9	12.4%
	Grade 10	8.4%
	Grade 11	10.6%
	Grade 12	10.9%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	7.8%	26.8%	25.1%	30.1%	10.2%
Grade 7	12.7%	27.4%	17.9%	26.3%	15.6%
Grade 8	8.6%	25.4%	27.5%	26.8%	11.6%
Grade 9	8.2%	25.6%	24.8%	32.7%	8.7%
Grade 10	4.9%	25.2%	27.8%	33.6%	8.5%
Grade 11	6.2%	27.4%	28.6%	30.4%	7.4%
Grade 12	4.7%	30.6%	25.1%	31.8%	7.8%
Sometimes Carry Weapons?					
All	79.7%	13.3%	5.0%	1.4%	0.6%
Grade 7	85.2%	10.4%	3.0%	1.0%	0.5%
Grade 8	80.3%	13.2%	4.5%	1.3%	0.7%
Grade 9	81.7%	11.7%	5.2%	1.1%	0.3%
Grade 10	78.8%	14.5%	5.1%	1.2%	0.4%
Grade 11	76.5%	14.8%	5.6%	2.5%	0.7%
Grade 12	73.5%	16.5%	7.5%	1.5%	0.9%
Care About Making Good Grades?					
All	3.0%	14.2%	22.8%	38.7%	21.3%
Grade 7	4.2%	17.9%	21.9%	32.7%	23.2%
Grade 8	2.8%	18.5%	25.1%	32.3%	21.3%
Grade 9	3.0%	15.5%	22.5%	36.9%	22.2%
Grade 10	1.7%	12.3%	24.7%	43.5%	17.8%
Grade 11	2.4%	9.1%	24.0%	42.0%	22.5%
Grade 12	3.7%	10.1%	17.5%	48.4%	20.2%
Belong/Want To Belong To A Gang?					
All	76.3%	14.2%	6.2%	2.5%	0.8%
Grade 7	75.5%	13.0%	7.0%	3.7%	0.8%
Grade 8	70.3%	17.6%	7.6%	2.8%	1.6%
Grade 9	73.8%	14.7%	8.0%	2.5%	0.9%
Grade 10	76.9%	16.6%	4.2%	1.9%	0.4%
Grade 11	81.3%	11.5%	4.4%	2.3%	0.5%
Grade 12	81.6%	11.1%	5.5%	1.2%	0.6%
Wish They Could Drop Out Of School?					
All	63.6%	23.1%	8.7%	2.8%	1.8%
Grade 7	67.6%	18.7%	9.2%	2.7%	1.9%
Grade 8	57.3%	27.0%	10.3%	3.5%	1.8%
Grade 9	64.1%	22.3%	8.9%	3.2%	1.6%
Grade 10	59.2%	25.8%	9.6%	2.8%	2.6%
Grade 11	65.6%	24.0%	7.1%	2.1%	1.1%
Grade 12	69.1%	21.0%	6.3%	2.3%	1.4%

Table X-5: How safe to do you feel when you are:

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?						
	All	84.9%	12.9%	1.0%	0.2%	1.0%
	Grade 7	83.8%	12.4%	2.1%	0.3%	1.5%
	Grade 8	81.3%	15.1%	1.7%	0.1%	1.7%
	Grade 9	83.8%	15.0%	0.4%	0.1%	0.8%
	Grade 10	87.7%	11.2%	0.4%	0.1%	0.6%
	Grade 11	87.6%	10.7%	0.7%	0.4%	0.5%
	Grade 12	86.0%	12.9%	0.2%	0.3%	0.6%
Out In Your Neighborhood?						
	All	36.6%	49.2%	9.3%	2.0%	2.9%
	Grade 7	30.7%	47.1%	12.9%	4.0%	5.2%
	Grade 8	32.9%	50.6%	10.4%	1.5%	4.6%
	Grade 9	38.7%	48.6%	9.2%	1.0%	2.5%
	Grade 10	38.1%	51.7%	7.2%	1.0%	2.0%
	Grade 11	40.3%	48.2%	9.0%	1.7%	0.8%
	Grade 12	40.9%	49.3%	5.8%	2.8%	1.2%
At School?						
	All	41.5%	44.4%	7.5%	3.1%	3.5%
	Grade 7	51.6%	36.2%	6.2%	2.3%	3.7%
	Grade 8	46.6%	40.5%	5.2%	3.1%	4.4%
	Grade 9	35.7%	46.8%	10.7%	3.0%	3.9%
	Grade 10	33.2%	52.2%	7.8%	2.8%	4.0%
	Grade 11	35.5%	49.4%	8.7%	4.3%	2.1%
	Grade 12	44.9%	42.9%	6.4%	3.4%	2.4%

2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.7%	12.1%	23.2%	76.8%
	Grade 7	3.5%	4.6%	11.5%	88.5%
	Grade 8	6.7%	10.0%	19.0%	81.1%
	Grade 9	6.7%	8.2%	19.1%	81.0%
	Grade 10	9.2%	13.3%	26.0%	73.9%
	Grade 11	13.3%	19.1%	31.3%	68.6%
	Grade 12	15.4%	21.2%	37.9%	62.1%
Alcohol	All	21.9%	29.0%	49.3%	50.7%
	Grade 7	9.2%	11.7%	28.5%	71.5%
	Grade 8	16.1%	20.4%	43.9%	56.1%
	Grade 9	18.5%	24.4%	43.2%	56.8%
	Grade 10	26.3%	35.3%	57.7%	42.2%
	Grade 11	33.5%	43.1%	64.0%	36.0%
	Grade 12	33.5%	46.8%	66.3%	33.8%
Inhalants	All	5.3%	6.6%	14.2%	85.8%
	Grade 7	7.5%	9.4%	17.3%	82.7%
	Grade 8	7.6%	8.8%	18.0%	82.0%
	Grade 9	4.5%	5.0%	10.8%	89.2%
	Grade 10	5.0%	5.9%	14.8%	85.2%
	Grade 11	3.9%	5.2%	12.7%	87.3%
	Grade 12	2.3%	4.3%	9.8%	90.2%
Any Illicit Drug	All	11.7%	15.9%	26.8%	73.3%
	Grade 7	4.5%	5.3%	9.8%	90.3%
	Grade 8	8.0%	10.9%	19.1%	80.9%
	Grade 9	11.1%	15.0%	25.0%	75.0%
	Grade 10	14.1%	19.5%	32.5%	67.5%
	Grade 11	16.2%	22.4%	38.3%	61.7%
	Grade 12	19.1%	26.4%	42.5%	57.5%
Marijuana	All	10.4%	14.6%	25.6%	74.5%
	Grade 7	3.4%	4.2%	8.4%	91.6%
	Grade 8	6.7%	9.7%	17.5%	82.6%
	Grade 9	9.9%	14.1%	24.2%	75.7%
	Grade 10	12.7%	17.7%	31.8%	68.2%
	Grade 11	14.2%	20.7%	37.0%	63.0%
	Grade 12	18.2%	24.9%	40.7%	59.3%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.1%	6.0%	13.6%	86.4%
Grade 7	1.6%	1.7%	4.6%	95.5%
Grade 8	2.9%	3.9%	9.2%	90.9%
Grade 9	3.1%	5.2%	13.1%	86.9%
Grade 10	4.8%	7.0%	15.9%	84.1%
Grade 11	5.6%	8.5%	19.4%	80.6%
Grade 12	7.7%	11.5%	22.8%	77.2%
Cocaine Or Crack				
All	1.3%	1.8%	3.6%	96.4%
Grade 7	0.8%	1.0%	1.5%	98.4%
Grade 8	0.8%	1.3%	2.5%	97.5%
Grade 9	1.8%	2.0%	2.7%	97.3%
Grade 10	1.1%	1.7%	4.3%	95.7%
Grade 11	1.1%	1.9%	4.8%	95.3%
Grade 12	2.4%	3.3%	6.8%	93.2%
Cocaine				
All	1.1%	1.5%	3.2%	96.7%
Grade 7	0.7%	0.9%	1.3%	98.6%
Grade 8	0.5%	0.7%	1.8%	98.3%
Grade 9	1.7%	1.9%	2.6%	97.5%
Grade 10	0.7%	1.2%	3.7%	96.3%
Grade 11	1.0%	1.8%	4.7%	95.3%
Grade 12	2.4%	3.3%	6.8%	93.2%
Crack				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.7%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.4%	0.6%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.7%	99.2%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	0.8%	1.2%	2.3%	97.7%
Grade 7	0.4%	0.5%	0.7%	99.2%
Grade 8	0.8%	1.1%	1.4%	98.6%
Grade 9	0.9%	1.2%	2.2%	97.8%
Grade 10	1.3%	1.7%	3.8%	96.2%
Grade 11	0.8%	1.0%	2.8%	97.3%
Grade 12	1.0%	2.1%	3.7%	96.3%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.7%	1.6%	98.3%
	Grade 7	0.1%	0.3%	0.7%	99.4%
	Grade 8	0.6%	0.7%	1.5%	98.5%
	Grade 9	1.1%	1.2%	1.8%	98.1%
	Grade 10	1.0%	1.1%	2.1%	98.0%
	Grade 11	0.5%	0.7%	2.6%	97.4%
	Grade 12	0.4%	0.6%	1.7%	98.4%
Steroids	All	0.5%	0.6%	0.9%	99.1%
	Grade 7	0.6%	0.8%	1.0%	99.1%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.3%	0.3%	0.5%	99.5%
	Grade 10	0.7%	0.7%	1.0%	98.9%
	Grade 11	0.8%	1.0%	1.6%	98.5%
	Grade 12	0.4%	0.5%	0.6%	99.4%
Ecstasy	All	1.6%	2.3%	4.6%	95.4%
	Grade 7	0.3%	0.5%	0.8%	99.2%
	Grade 8	1.4%	1.5%	2.5%	97.5%
	Grade 9	1.3%	2.4%	3.8%	96.2%
	Grade 10	2.6%	3.9%	6.6%	93.4%
	Grade 11	2.0%	2.5%	6.5%	93.6%
	Grade 12	2.5%	3.8%	9.0%	91.1%
Heroin	All	0.1%	0.3%	0.5%	99.5%
	Grade 7	0.1%	0.2%	0.3%	99.6%
	Grade 8	0.3%	0.5%	0.8%	99.3%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.1%	0.4%	0.9%	99.1%
	Grade 11	0.0%	0.5%	0.6%	99.4%
	Grade 12	0.1%	0.1%	0.3%	99.7%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.0%	4.4%	8.8%	91.2%
Grade 7	1.5%	2.2%	3.7%	96.3%
Grade 8	3.3%	4.7%	6.9%	93.1%
Grade 9	4.1%	4.9%	8.6%	91.3%
Grade 10	3.1%	5.4%	12.1%	88.0%
Grade 11	3.1%	4.3%	12.4%	87.6%
Grade 12	3.1%	4.8%	10.5%	89.4%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.3%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.6%	0.8%	1.3%	98.7%
Grade 11	0.1%	0.2%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.1%	12.7%	23.9%	76.1%
	Grade 7	2.8%	3.9%	11.2%	88.7%
	Grade 8	5.5%	8.8%	18.5%	81.5%
	Grade 9	7.0%	8.7%	20.4%	79.5%
	Grade 10	7.6%	11.5%	24.8%	75.2%
	Grade 11	15.3%	21.6%	34.0%	66.0%
	Grade 12	21.2%	28.4%	42.8%	57.3%
Alcohol	All	20.4%	27.0%	45.5%	54.5%
	Grade 7	8.7%	11.5%	25.7%	74.3%
	Grade 8	15.2%	18.7%	39.9%	60.0%
	Grade 9	17.0%	21.7%	39.9%	60.1%
	Grade 10	22.2%	30.8%	54.0%	46.1%
	Grade 11	31.3%	40.4%	59.7%	40.3%
	Grade 12	35.5%	49.6%	64.2%	35.8%
Inhalants	All	4.8%	5.8%	11.9%	88.1%
	Grade 7	6.2%	7.8%	13.7%	86.3%
	Grade 8	6.6%	7.1%	12.9%	87.1%
	Grade 9	3.8%	3.8%	7.4%	92.6%
	Grade 10	3.9%	4.5%	12.5%	87.4%
	Grade 11	5.0%	5.8%	13.2%	86.8%
	Grade 12	2.4%	5.0%	11.7%	88.3%
Any Illicit Drug	All	12.6%	16.4%	26.9%	73.1%
	Grade 7	4.2%	5.2%	9.6%	90.4%
	Grade 8	9.2%	12.3%	19.8%	80.1%
	Grade 9	11.5%	14.2%	25.6%	74.3%
	Grade 10	12.8%	17.7%	30.8%	69.2%
	Grade 11	16.8%	22.6%	39.2%	60.8%
	Grade 12	26.6%	33.1%	45.4%	54.6%
Marijuana	All	11.2%	14.9%	25.7%	74.3%
	Grade 7	3.3%	3.9%	8.4%	91.5%
	Grade 8	7.6%	10.8%	17.8%	82.2%
	Grade 9	9.8%	13.1%	24.8%	75.1%
	Grade 10	11.4%	16.1%	29.9%	70.1%
	Grade 11	14.6%	20.0%	37.3%	62.6%
	Grade 12	25.9%	32.0%	45.0%	55.0%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.4%	5.9%	13.0%	87.1%
Grade 7	1.2%	1.3%	4.4%	95.6%
Grade 8	3.8%	4.9%	10.1%	89.9%
Grade 9	2.9%	4.5%	13.2%	86.8%
Grade 10	4.1%	5.5%	13.9%	86.1%
Grade 11	5.2%	7.4%	17.8%	82.3%
Grade 12	11.5%	14.4%	22.0%	78.0%
Cocaine Or Crack				
All	1.4%	2.0%	3.8%	96.2%
Grade 7	0.3%	0.7%	1.1%	98.9%
Grade 8	0.1%	0.5%	1.2%	98.8%
Grade 9	2.2%	2.2%	3.1%	96.9%
Grade 10	1.5%	2.2%	4.2%	95.7%
Grade 11	1.1%	2.1%	6.0%	94.1%
Grade 12	4.4%	5.5%	9.6%	90.4%
Cocaine				
All	1.4%	1.9%	3.6%	96.5%
Grade 7	0.3%	0.7%	1.0%	99.0%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	2.2%	2.2%	3.1%	96.9%
Grade 10	1.4%	2.1%	3.5%	96.5%
Grade 11	0.9%	1.9%	5.8%	94.2%
Grade 12	4.4%	5.5%	9.6%	90.4%
Crack				
All	0.1%	0.2%	0.5%	99.4%
Grade 7	0.0%	0.2%	0.5%	99.6%
Grade 8	0.0%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.3%	1.0%	98.9%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens				
All	0.9%	1.5%	2.9%	97.1%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.7%	1.3%	1.6%	98.3%
Grade 9	0.6%	1.2%	2.4%	97.5%
Grade 10	1.3%	1.8%	4.6%	95.5%
Grade 11	0.9%	0.9%	3.4%	96.6%
Grade 12	2.1%	3.8%	6.0%	94.0%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.7%	1.4%	98.6%
	Grade 7	0.0%	0.3%	0.7%	99.3%
	Grade 8	0.6%	0.9%	1.7%	98.3%
	Grade 9	0.9%	0.9%	1.5%	98.5%
	Grade 10	1.2%	1.2%	1.8%	98.2%
	Grade 11	0.4%	0.4%	1.7%	98.3%
	Grade 12	0.3%	0.5%	1.1%	99.0%
Steroids	All	0.6%	0.7%	1.0%	99.0%
	Grade 7	0.5%	0.7%	0.7%	99.4%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.5%	0.5%	0.8%	99.1%
	Grade 10	1.0%	1.0%	1.3%	98.7%
	Grade 11	1.4%	1.7%	2.7%	97.3%
	Grade 12	0.4%	0.6%	0.6%	99.4%
Ecstasy	All	1.8%	2.5%	4.8%	95.2%
	Grade 7	0.1%	0.4%	0.9%	99.1%
	Grade 8	2.2%	2.4%	3.6%	96.4%
	Grade 9	1.4%	2.3%	3.7%	96.3%
	Grade 10	2.7%	3.9%	6.4%	93.6%
	Grade 11	2.0%	2.4%	6.7%	93.3%
	Grade 12	2.9%	4.8%	9.6%	90.4%
Heroin	All	0.1%	0.4%	0.5%	99.5%
	Grade 7	0.1%	0.2%	0.2%	99.7%
	Grade 8	0.4%	0.4%	0.6%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.6%	0.7%	99.2%
	Grade 11	0.0%	0.9%	1.1%	98.8%
	Grade 12	0.2%	0.2%	0.4%	99.6%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.3%	4.8%	9.4%	90.6%
Grade 7	1.7%	2.5%	4.0%	95.9%
Grade 8	3.6%	5.0%	6.5%	93.5%
Grade 9	3.8%	4.6%	9.2%	90.8%
Grade 10	2.1%	4.6%	11.0%	89.0%
Grade 11	4.5%	6.0%	16.3%	83.7%
Grade 12	4.2%	6.6%	11.8%	88.2%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.0%	0.4%	0.4%	99.6%
Grade 11	0.1%	0.3%	1.6%	98.4%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.4%	11.6%	22.6%	77.4%
	Grade 7	4.4%	5.4%	11.9%	88.1%
	Grade 8	8.0%	11.3%	19.5%	80.5%
	Grade 9	6.3%	7.5%	17.3%	82.7%
	Grade 10	10.6%	15.0%	27.0%	73.0%
	Grade 11	11.4%	16.8%	28.9%	71.1%
	Grade 12	10.6%	15.2%	33.8%	66.2%
Alcohol	All	23.6%	31.1%	53.2%	46.7%
	Grade 7	9.9%	12.1%	31.4%	68.7%
	Grade 8	17.2%	22.4%	48.7%	51.3%
	Grade 9	20.2%	27.6%	47.2%	52.9%
	Grade 10	30.2%	39.6%	61.1%	38.8%
	Grade 11	35.6%	45.5%	68.3%	31.7%
	Grade 12	32.0%	44.6%	68.3%	31.6%
Inhalants	All	5.8%	7.4%	16.4%	83.5%
	Grade 7	8.7%	10.9%	21.0%	79.0%
	Grade 8	8.8%	10.8%	23.9%	76.2%
	Grade 9	5.4%	6.5%	14.9%	85.1%
	Grade 10	6.1%	7.3%	16.8%	83.2%
	Grade 11	2.7%	4.5%	12.0%	88.0%
	Grade 12	2.3%	3.7%	8.3%	91.7%
Any Illicit Drug	All	10.8%	15.4%	26.6%	73.5%
	Grade 7	4.8%	5.4%	9.8%	90.2%
	Grade 8	6.6%	9.3%	18.3%	81.8%
	Grade 9	10.6%	15.8%	24.2%	75.7%
	Grade 10	15.3%	20.9%	33.8%	66.2%
	Grade 11	15.7%	22.4%	37.2%	62.8%
	Grade 12	13.0%	20.8%	40.1%	59.9%
Marijuana	All	9.6%	14.2%	25.3%	74.8%
	Grade 7	3.6%	4.5%	8.4%	91.7%
	Grade 8	5.7%	8.4%	17.0%	83.0%
	Grade 9	10.0%	15.3%	23.6%	76.5%
	Grade 10	13.8%	18.9%	33.2%	66.9%
	Grade 11	13.9%	21.5%	36.5%	63.6%
	Grade 12	11.8%	19.0%	37.2%	62.8%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.8%	6.1%	14.1%	85.8%
Grade 7	2.0%	2.0%	4.7%	95.3%
Grade 8	1.8%	2.7%	8.1%	92.0%
Grade 9	3.4%	6.0%	13.0%	87.0%
Grade 10	5.4%	8.4%	17.7%	82.4%
Grade 11	6.0%	9.7%	20.8%	79.1%
Grade 12	4.5%	9.0%	23.4%	76.6%
Cocaine Or Crack				
All	1.1%	1.6%	3.4%	96.6%
Grade 7	1.3%	1.4%	2.0%	97.9%
Grade 8	1.6%	2.1%	3.8%	96.1%
Grade 9	1.4%	1.8%	2.1%	97.8%
Grade 10	0.6%	1.2%	4.3%	95.7%
Grade 11	1.1%	1.8%	3.6%	96.4%
Grade 12	0.7%	1.5%	4.6%	95.5%
Cocaine				
All	0.8%	1.2%	3.0%	97.0%
Grade 7	1.2%	1.3%	1.8%	98.2%
Grade 8	0.9%	1.3%	3.0%	97.1%
Grade 9	1.0%	1.4%	1.7%	98.2%
Grade 10	0.1%	0.3%	3.8%	96.2%
Grade 11	1.1%	1.8%	3.6%	96.4%
Grade 12	0.7%	1.5%	4.6%	95.5%
Crack				
All	0.5%	0.6%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.7%	99.2%
Grade 8	0.9%	1.0%	1.6%	98.3%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.5%	0.9%	1.1%	98.9%
Grade 11	0.5%	0.5%	0.6%	99.3%
Grade 12	0.1%	0.1%	0.1%	99.9%
Hallucinogens				
All	0.8%	1.0%	1.8%	98.3%
Grade 7	0.4%	0.4%	0.5%	99.4%
Grade 8	0.8%	0.8%	1.1%	98.8%
Grade 9	1.2%	1.2%	1.9%	98.1%
Grade 10	1.4%	1.7%	3.3%	96.7%
Grade 11	0.7%	1.0%	2.0%	98.0%
Grade 12	0.1%	0.7%	1.7%	98.3%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	0.9%	2.1%	98.0%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.6%	0.6%	1.4%	98.6%
	Grade 9	1.3%	1.6%	2.3%	97.7%
	Grade 10	0.7%	0.9%	2.3%	97.7%
	Grade 11	0.7%	1.1%	3.6%	96.4%
	Grade 12	0.5%	0.6%	2.1%	97.9%
	Steroids	All	0.3%	0.3%	0.7%
Grade 7		0.7%	0.8%	1.2%	98.7%
Grade 8		0.0%	0.0%	1.1%	98.9%
Grade 9		0.0%	0.0%	0.0%	100.0%
Grade 10		0.5%	0.6%	1.0%	99.0%
Grade 11		0.1%	0.1%	0.3%	99.7%
Grade 12		0.4%	0.4%	0.6%	99.4%
Ecstasy		All	1.4%	2.1%	4.4%
	Grade 7	0.4%	0.5%	0.6%	99.3%
	Grade 8	0.4%	0.4%	1.2%	98.8%
	Grade 9	1.2%	2.5%	3.9%	96.1%
	Grade 10	2.5%	3.9%	6.8%	93.2%
	Grade 11	1.9%	2.5%	6.2%	93.8%
	Grade 12	2.1%	3.0%	8.5%	91.5%
	Heroin	All	0.2%	0.3%	0.6%
Grade 7		0.1%	0.2%	0.4%	99.5%
Grade 8		0.2%	0.6%	1.0%	99.1%
Grade 9		0.4%	0.4%	0.4%	99.6%
Grade 10		0.3%	0.3%	1.0%	99.0%
Grade 11		0.0%	0.0%	0.0%	100.0%
Grade 12		0.0%	0.0%	0.2%	99.8%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.7%	3.8%	8.1%	91.9%
Grade 7	1.2%	1.8%	3.2%	96.8%
Grade 8	2.9%	4.4%	7.4%	92.6%
Grade 9	4.4%	5.2%	8.0%	91.9%
Grade 10	3.9%	5.7%	12.7%	87.4%
Grade 11	1.7%	2.6%	8.6%	91.4%
Grade 12	2.3%	3.5%	9.6%	90.4%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	1.1%	1.1%	2.0%	98.0%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.1%	12.8%	26.0%	74.0%
	Grade 7	3.8%	3.8%	16.8%	83.2%
	Grade 8	4.5%	5.3%	9.0%	91.0%
	Grade 9	0.0%	2.3%	8.4%	91.7%
	Grade 10	8.9%	13.4%	23.4%	76.6%
	Grade 11	13.5%	20.1%	33.5%	66.6%
	Grade 12	14.2%	19.2%	40.3%	59.8%
Alcohol	All	22.7%	30.8%	47.3%	52.7%
	Grade 7	3.0%	5.1%	21.6%	78.4%
	Grade 8	18.8%	19.6%	25.9%	74.1%
	Grade 9	9.1%	23.6%	34.2%	65.8%
	Grade 10	23.0%	33.5%	57.4%	42.6%
	Grade 11	32.2%	44.5%	64.8%	35.2%
	Grade 12	32.5%	40.6%	58.1%	41.9%
Inhalants	All	3.8%	4.2%	12.7%	87.4%
	Grade 7	5.6%	6.6%	10.6%	89.4%
	Grade 8	0.9%	0.9%	10.9%	89.2%
	Grade 9	0.0%	0.0%	8.1%	91.9%
	Grade 10	13.9%	14.9%	27.9%	72.1%
	Grade 11	3.8%	3.8%	15.5%	84.5%
	Grade 12	1.2%	1.6%	8.0%	92.1%
Any Illicit Drug	All	11.7%	16.2%	26.0%	74.0%
	Grade 7	1.2%	1.2%	3.2%	96.8%
	Grade 8	1.6%	2.4%	8.0%	92.0%
	Grade 9	0.0%	6.1%	11.7%	88.4%
	Grade 10	12.8%	19.6%	31.8%	68.3%
	Grade 11	19.6%	26.1%	38.8%	61.2%
	Grade 12	19.9%	25.4%	39.2%	60.7%
Marijuana	All	11.1%	15.1%	25.2%	74.8%
	Grade 7	1.2%	1.2%	3.2%	96.8%
	Grade 8	1.6%	2.4%	8.1%	91.9%
	Grade 9	0.0%	3.8%	11.6%	88.4%
	Grade 10	11.9%	15.2%	29.7%	70.2%
	Grade 11	18.9%	26.1%	36.6%	63.4%
	Grade 12	18.7%	24.2%	38.4%	61.5%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.8%	6.6%	13.6%	86.4%
Grade 7	0.0%	0.0%	2.0%	98.0%
Grade 8	0.8%	0.8%	4.5%	95.5%
Grade 9	0.0%	1.4%	6.7%	93.3%
Grade 10	10.9%	12.1%	20.1%	79.9%
Grade 11	6.7%	8.8%	15.1%	84.9%
Grade 12	6.6%	10.2%	21.4%	78.6%
Cocaine Or Crack				
All	0.6%	0.8%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	1.4%	1.4%	4.2%	95.8%
Grade 12	0.8%	1.3%	3.0%	97.0%
Cocaine				
All	0.6%	0.8%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.0%	1.0%	1.0%	99.0%
Grade 11	1.4%	1.4%	4.2%	95.8%
Grade 12	0.8%	1.3%	3.0%	97.0%
Crack				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
Hallucinogens				
All	0.6%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.8%	1.8%	1.8%	98.2%
Grade 11	0.7%	0.7%	5.3%	94.7%
Grade 12	0.8%	2.1%	3.8%	96.3%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.5%	0.9%	99.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.0%	99.0%
	Grade 11	0.7%	0.7%	2.0%	98.0%
	Grade 12	1.1%	1.1%	1.1%	98.9%
Steroids	All	1.1%	1.1%	2.0%	98.1%
	Grade 7	4.1%	4.1%	5.2%	94.9%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	2.3%	2.3%	3.6%	96.5%
	Grade 11	0.0%	0.0%	3.2%	96.8%
	Grade 12	0.6%	0.6%	0.6%	99.4%
Ecstasy	All	1.1%	1.9%	3.3%	96.6%
	Grade 7	1.3%	1.3%	1.3%	98.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.0%	4.5%	4.5%	95.5%
	Grade 11	2.4%	2.4%	8.2%	91.8%
	Grade 12	1.2%	2.4%	3.7%	96.3%
Heroin	All	0.0%	0.0%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	2.0%	98.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	2.0%	98.0%
	Grade 11	0.0%	0.0%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.3%	3.4%	8.9%	91.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	1.6%	3.6%	96.4%
Grade 9	0.0%	4.5%	4.5%	95.5%
Grade 10	1.0%	2.0%	6.1%	93.8%
Grade 11	3.4%	5.0%	14.7%	85.3%
Grade 12	4.5%	4.9%	14.7%	85.3%
Methamphetamine				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	2.4%	97.6%
Grade 12	0.0%	0.0%	0.3%	99.7%

Table B-5: Prevalence and recency of use of selected substances by grade African/American Students

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.9%	14.2%	20.8%	79.3%
	Grade 7	1.8%	1.8%	3.6%	96.4%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Alcohol	All	26.6%	34.1%	57.9%	42.1%
	Grade 7	3.4%	3.4%	32.1%	67.9%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Inhalants	All	6.0%	6.0%	10.8%	89.3%
	Grade 7	1.6%	1.6%	4.9%	95.1%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Any Illicit Drug	All	15.6%	17.7%	28.0%	72.1%
	Grade 7	0.0%	0.0%	1.2%	98.8%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Marijuana	All	9.1%	11.2%	21.5%	78.5%
	Grade 7	0.0%	0.0%	1.2%	98.8%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	7.1%	9.2%	11.0%	89.0%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Cocaine Or Crack				
All	0.0%	0.0%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Cocaine				
All	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Crack				
All	0.0%	0.0%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Hallucinogens				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Steroids	All	6.4%	6.4%	11.6%	88.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Ecstasy	All	6.4%	6.4%	9.7%	90.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*
Heroin	All	0.0%	6.5%	6.5%	93.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	*	*	*	*
	Grade 9	*	*	*	*
	Grade 10	*	*	*	*
	Grade 11	*	*	*	*
	Grade 12	*	*	*	*

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.7%	0.7%	15.1%	84.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*
Methamphetamine				
All	0.0%	0.0%	6.4%	93.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	*	*	*	*
Grade 9	*	*	*	*
Grade 10	*	*	*	*
Grade 11	*	*	*	*
Grade 12	*	*	*	*

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.7%	12.1%	23.4%	76.6%
	Grade 7	3.7%	4.9%	11.8%	88.2%
	Grade 8	6.7%	9.6%	19.1%	80.9%
	Grade 9	6.9%	8.4%	19.8%	80.2%
	Grade 10	8.8%	13.0%	26.2%	73.8%
	Grade 11	13.2%	18.9%	31.5%	68.4%
	Grade 12	15.6%	21.6%	38.0%	62.0%
Alcohol	All	21.8%	28.9%	49.7%	50.4%
	Grade 7	9.4%	12.1%	29.1%	71.0%
	Grade 8	15.8%	20.1%	44.6%	55.4%
	Grade 9	19.2%	24.9%	44.5%	55.4%
	Grade 10	25.9%	35.0%	57.6%	42.4%
	Grade 11	32.6%	42.0%	63.7%	36.3%
	Grade 12	34.0%	47.9%	67.2%	32.7%
Inhalants	All	5.3%	6.7%	14.4%	85.7%
	Grade 7	7.4%	9.4%	17.9%	82.1%
	Grade 8	7.4%	8.7%	18.0%	82.0%
	Grade 9	4.9%	5.4%	11.3%	88.7%
	Grade 10	4.7%	5.7%	14.5%	85.5%
	Grade 11	3.6%	5.0%	12.7%	87.4%
	Grade 12	2.6%	4.7%	9.8%	90.1%
Any Illicit Drug	All	11.5%	15.8%	27.0%	72.9%
	Grade 7	4.9%	5.8%	10.5%	89.6%
	Grade 8	7.9%	10.9%	19.1%	80.8%
	Grade 9	11.8%	15.6%	26.2%	73.8%
	Grade 10	14.1%	19.6%	32.9%	67.1%
	Grade 11	15.1%	21.6%	38.5%	61.5%
	Grade 12	18.6%	26.2%	43.0%	56.9%
Marijuana	All	10.3%	14.5%	25.9%	74.1%
	Grade 7	3.7%	4.6%	9.0%	91.1%
	Grade 8	6.8%	9.7%	17.5%	82.6%
	Grade 9	10.6%	14.7%	25.3%	74.7%
	Grade 10	12.6%	17.8%	32.2%	67.8%
	Grade 11	13.4%	20.1%	37.7%	62.3%
	Grade 12	17.6%	24.7%	41.0%	58.9%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.0%	5.9%	13.8%	86.2%
Grade 7	1.8%	1.9%	4.7%	95.3%
Grade 8	3.1%	4.1%	9.6%	90.4%
Grade 9	3.4%	5.4%	13.7%	86.2%
Grade 10	4.2%	6.5%	15.6%	84.4%
Grade 11	5.3%	8.4%	20.2%	79.9%
Grade 12	7.4%	11.4%	23.2%	76.9%
Cocaine Or Crack				
All	1.4%	1.9%	3.8%	96.2%
Grade 7	0.9%	1.2%	1.8%	98.2%
Grade 8	0.9%	1.4%	2.6%	97.4%
Grade 9	2.0%	2.2%	2.9%	97.1%
Grade 10	1.1%	1.8%	4.4%	95.6%
Grade 11	1.1%	1.7%	4.7%	95.2%
Grade 12	2.5%	3.5%	7.5%	92.5%
Cocaine				
All	1.2%	1.6%	3.4%	96.6%
Grade 7	0.8%	1.1%	1.5%	98.5%
Grade 8	0.5%	0.7%	1.8%	98.1%
Grade 9	1.8%	2.0%	2.7%	97.3%
Grade 10	0.7%	1.2%	3.7%	96.3%
Grade 11	1.0%	1.6%	4.6%	95.3%
Grade 12	2.5%	3.5%	7.5%	92.5%
Crack				
All	0.4%	0.5%	0.8%	99.3%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.2%	98.8%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.5%	0.7%	1.2%	98.9%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.9%	1.3%	2.3%	97.7%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.8%	1.2%	1.5%	98.5%
Grade 9	0.9%	1.3%	2.3%	97.7%
Grade 10	1.4%	1.8%	3.9%	96.1%
Grade 11	0.8%	1.0%	2.4%	97.6%
Grade 12	1.1%	2.1%	3.4%	96.6%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.8%	1.8%	98.3%
	Grade 7	0.1%	0.3%	0.7%	99.3%
	Grade 8	0.6%	0.8%	1.4%	98.6%
	Grade 9	1.0%	1.1%	1.8%	98.1%
	Grade 10	1.0%	1.1%	2.1%	97.8%
	Grade 11	0.6%	0.8%	2.8%	97.2%
	Grade 12	0.3%	0.5%	1.7%	98.4%
Steroids	All	0.3%	0.4%	0.6%	99.4%
	Grade 7	0.5%	0.7%	0.9%	99.2%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.2%	0.2%	0.4%	99.6%
	Grade 10	0.7%	0.7%	1.0%	99.0%
	Grade 11	0.3%	0.5%	0.9%	99.0%
	Grade 12	0.3%	0.4%	0.5%	99.5%
Ecstasy	All	1.5%	2.2%	4.5%	95.5%
	Grade 7	0.3%	0.5%	0.9%	99.2%
	Grade 8	1.2%	1.3%	2.3%	97.7%
	Grade 9	1.3%	2.4%	3.9%	96.1%
	Grade 10	2.8%	4.0%	6.8%	93.2%
	Grade 11	1.5%	2.0%	5.8%	94.1%
	Grade 12	2.8%	4.1%	9.6%	90.4%
Heroin	All	0.2%	0.3%	0.4%	99.6%
	Grade 7	0.1%	0.3%	0.4%	99.6%
	Grade 8	0.3%	0.5%	0.7%	99.3%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.2%	0.5%	0.7%	99.3%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.1%	0.1%	0.2%	99.8%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.0%	4.4%	8.7%	91.2%
Grade 7	1.7%	2.5%	4.1%	96.0%
Grade 8	2.9%	4.5%	6.4%	93.6%
Grade 9	4.3%	5.0%	9.0%	91.0%
Grade 10	3.2%	5.7%	12.5%	87.4%
Grade 11	3.2%	4.5%	12.4%	87.6%
Grade 12	3.1%	5.1%	9.8%	90.2%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.4%
Grade 7	0.5%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.7%	99.4%
Grade 9	0.2%	0.2%	0.6%	99.5%
Grade 10	0.7%	0.9%	1.2%	98.8%
Grade 11	0.1%	0.2%	0.6%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.6%	8.0%	18.5%	81.5%
	Grade 7	1.3%	1.3%	8.6%	91.5%
	Grade 8	4.1%	5.3%	13.5%	86.4%
	Grade 9	4.8%	5.3%	14.0%	86.0%
	Grade 10	4.7%	10.0%	19.2%	80.7%
	Grade 11	12.6%	16.9%	27.2%	72.7%
	Grade 12	6.9%	9.6%	26.8%	73.3%
Alcohol	All	17.6%	25.1%	44.5%	55.5%
	Grade 7	4.2%	5.4%	20.4%	79.6%
	Grade 8	8.7%	11.1%	34.5%	65.5%
	Grade 9	14.8%	19.8%	36.3%	63.7%
	Grade 10	22.9%	32.2%	52.5%	47.4%
	Grade 11	25.2%	39.9%	60.7%	39.3%
	Grade 12	27.3%	39.2%	59.7%	40.3%
Inhalants	All	2.7%	4.1%	10.1%	89.9%
	Grade 7	2.9%	3.4%	11.4%	88.6%
	Grade 8	5.4%	6.5%	14.0%	86.1%
	Grade 9	1.5%	1.5%	8.0%	92.0%
	Grade 10	2.6%	3.9%	10.5%	89.5%
	Grade 11	1.9%	3.7%	7.8%	92.2%
	Grade 12	2.3%	5.3%	9.1%	90.9%
Any Illicit Drug	All	7.4%	10.9%	21.0%	78.9%
	Grade 7	1.0%	1.5%	6.9%	93.1%
	Grade 8	3.2%	5.2%	11.1%	88.9%
	Grade 9	1.6%	4.4%	11.6%	88.4%
	Grade 10	8.1%	13.6%	22.0%	78.0%
	Grade 11	14.2%	17.6%	30.1%	69.8%
	Grade 12	14.6%	20.5%	39.3%	60.7%
Marijuana	All	6.3%	9.6%	19.8%	80.2%
	Grade 7	0.0%	0.5%	5.4%	94.6%
	Grade 8	2.9%	4.9%	10.3%	89.7%
	Grade 9	1.6%	3.9%	10.5%	89.5%
	Grade 10	7.4%	12.2%	22.1%	78.0%
	Grade 11	9.0%	14.7%	27.2%	72.7%
	Grade 12	14.3%	18.8%	37.7%	62.2%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	3.1%	4.8%	12.1%	88.0%
	Grade 7	0.0%	0.0%	2.9%	97.1%
	Grade 8	0.5%	0.9%	5.6%	94.5%
	Grade 9	0.0%	0.7%	5.0%	95.0%
	Grade 10	3.6%	5.6%	12.0%	87.9%
	Grade 11	4.8%	7.3%	16.0%	83.9%
	Grade 12	7.7%	11.3%	25.6%	74.4%
Cocaine Or Crack					
	All	0.4%	0.9%	2.0%	98.0%
	Grade 7	0.3%	0.3%	0.8%	99.2%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	1.6%	3.4%	96.7%
	Grade 11	0.5%	1.8%	2.3%	97.7%
	Grade 12	0.8%	1.9%	4.2%	95.8%
Cocaine					
	All	0.3%	0.8%	1.9%	98.1%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.6%	99.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	1.6%	3.4%	96.7%
	Grade 11	0.0%	1.3%	1.8%	98.2%
	Grade 12	0.8%	1.9%	4.3%	95.7%
Crack					
	All	0.1%	0.1%	0.1%	99.9%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.5%	0.5%	0.5%	99.5%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens					
	All	0.2%	0.6%	1.2%	98.9%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.3%	0.9%	1.9%	98.1%
	Grade 11	0.4%	0.4%	1.3%	98.6%
	Grade 12	0.2%	1.5%	2.3%	97.7%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.9%	99.1%
	Grade 11	0.0%	0.0%	0.5%	99.5%
	Grade 12	0.4%	0.6%	0.8%	99.2%
Steroids	All	0.4%	0.5%	0.9%	99.2%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.0%	0.0%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	2.4%	2.4%	2.9%	97.1%
	Grade 12	0.2%	0.5%	0.8%	99.2%
Ecstasy	All	1.2%	1.6%	2.8%	97.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.9%	1.9%	1.9%	98.1%
	Grade 9	0.0%	0.7%	1.6%	98.4%
	Grade 10	2.0%	2.5%	3.8%	96.2%
	Grade 11	2.9%	2.9%	6.5%	93.5%
	Grade 12	0.5%	1.4%	3.0%	96.9%
Heroin	All	0.1%	0.6%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.4%	0.4%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.9%	0.9%	99.1%
	Grade 11	0.0%	2.4%	2.4%	97.6%
	Grade 12	0.0%	0.0%	0.3%	99.7%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.4%	2.4%	5.9%	94.1%
Grade 7	0.7%	1.2%	3.2%	96.7%
Grade 8	2.4%	4.0%	4.7%	95.3%
Grade 9	0.0%	0.5%	4.3%	95.7%
Grade 10	0.7%	3.2%	7.5%	92.4%
Grade 11	2.8%	3.1%	9.4%	90.6%
Grade 12	1.7%	2.3%	6.3%	93.7%
Methamphetamine				
All	0.0%	0.2%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.9%	0.9%	99.1%
Grade 11	0.0%	0.0%	3.7%	96.3%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.5%	13.0%	24.1%	76.0%
	Grade 7	4.1%	5.2%	12.0%	88.0%
	Grade 8	7.4%	11.2%	20.9%	79.1%
	Grade 9	7.4%	9.4%	19.2%	80.8%
	Grade 10	10.6%	14.6%	27.8%	72.1%
	Grade 11	12.4%	18.4%	32.2%	67.8%
	Grade 12	21.5%	27.0%	43.7%	56.3%
Alcohol	All	22.7%	29.6%	50.0%	50.0%
	Grade 7	10.4%	13.0%	29.8%	70.2%
	Grade 8	17.7%	22.5%	47.3%	52.7%
	Grade 9	20.6%	27.3%	45.4%	54.6%
	Grade 10	27.5%	36.9%	58.4%	41.6%
	Grade 11	34.5%	42.7%	64.2%	35.8%
	Grade 12	36.0%	50.4%	69.6%	30.4%
Inhalants	All	6.0%	7.4%	15.4%	84.5%
	Grade 7	8.5%	10.8%	18.3%	81.7%
	Grade 8	8.4%	9.8%	19.3%	80.6%
	Grade 9	4.8%	5.5%	10.6%	89.3%
	Grade 10	5.9%	6.9%	16.8%	83.1%
	Grade 11	3.8%	4.7%	13.0%	87.0%
	Grade 12	2.3%	4.4%	12.3%	87.8%
Any Illicit Drug	All	12.7%	16.9%	27.6%	72.4%
	Grade 7	5.0%	6.0%	10.2%	89.7%
	Grade 8	8.9%	12.1%	20.6%	79.4%
	Grade 9	13.8%	17.8%	27.6%	72.5%
	Grade 10	16.3%	21.7%	34.8%	65.2%
	Grade 11	16.4%	22.5%	40.0%	60.0%
	Grade 12	22.6%	31.0%	46.7%	53.3%
Marijuana	All	11.4%	15.6%	26.5%	73.5%
	Grade 7	4.1%	5.1%	9.0%	91.1%
	Grade 8	7.4%	10.6%	19.2%	80.9%
	Grade 9	12.0%	16.6%	26.7%	73.3%
	Grade 10	14.9%	19.9%	33.6%	66.3%
	Grade 11	14.9%	20.7%	38.7%	61.2%
	Grade 12	22.1%	30.3%	45.9%	54.1%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.2%	6.0%	13.3%	86.8%
Grade 7	1.9%	2.0%	4.7%	95.4%
Grade 8	3.2%	4.3%	9.7%	90.4%
Grade 9	3.7%	6.1%	14.0%	86.0%
Grade 10	4.7%	6.9%	15.3%	84.7%
Grade 11	5.6%	8.2%	19.7%	80.2%
Grade 12	8.3%	12.1%	22.8%	77.2%
Cocaine Or Crack				
All	1.5%	2.0%	4.0%	96.0%
Grade 7	0.9%	1.3%	1.9%	98.1%
Grade 8	1.1%	1.7%	3.1%	97.0%
Grade 9	2.4%	2.4%	3.4%	96.6%
Grade 10	1.3%	2.1%	5.0%	95.1%
Grade 11	1.4%	2.0%	5.2%	94.8%
Grade 12	2.9%	3.5%	8.2%	91.8%
Cocaine				
All	1.4%	1.8%	3.7%	96.3%
Grade 7	0.9%	1.3%	1.7%	98.3%
Grade 8	0.7%	0.9%	2.1%	97.9%
Grade 9	2.4%	2.4%	3.4%	96.6%
Grade 10	0.7%	1.2%	4.0%	96.1%
Grade 11	1.4%	2.0%	5.2%	94.8%
Grade 12	2.9%	3.5%	8.2%	91.8%
Crack				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.7%	99.2%
Grade 8	0.5%	0.9%	1.4%	98.6%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.7%	1.0%	1.8%	98.3%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.1%	0.1%	0.1%	99.8%
Hallucinogens				
All	1.1%	1.5%	2.7%	97.2%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	1.0%	1.5%	1.9%	98.1%
Grade 9	1.0%	1.5%	2.7%	97.2%
Grade 10	2.0%	2.4%	5.0%	95.0%
Grade 11	0.8%	1.0%	2.9%	97.1%
Grade 12	1.4%	2.6%	4.7%	95.4%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.8%	0.9%	1.9%	98.0%
	Grade 7	0.1%	0.3%	0.7%	99.3%
	Grade 8	0.7%	0.9%	1.9%	98.1%
	Grade 9	1.6%	1.6%	2.5%	97.4%
	Grade 10	1.5%	1.6%	2.5%	97.5%
	Grade 11	0.7%	0.8%	2.9%	97.1%
	Grade 12	0.4%	0.4%	1.5%	98.5%
Steroids	All	0.5%	0.6%	0.9%	99.1%
	Grade 7	0.8%	1.0%	1.2%	98.8%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	1.2%	1.2%	1.3%	98.7%
	Grade 11	0.3%	0.6%	1.3%	98.7%
	Grade 12	0.7%	0.7%	0.7%	99.3%
Ecstasy	All	1.7%	2.4%	5.2%	94.7%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	1.3%	1.4%	2.5%	97.5%
	Grade 9	1.9%	2.6%	4.4%	95.5%
	Grade 10	2.9%	4.3%	7.5%	92.4%
	Grade 11	1.5%	2.2%	6.9%	93.1%
	Grade 12	3.4%	5.1%	13.9%	86.1%
Heroin	All	0.2%	0.3%	0.5%	99.5%
	Grade 7	0.1%	0.3%	0.3%	99.7%
	Grade 8	0.3%	0.4%	0.8%	99.2%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.2%	0.4%	1.1%	98.9%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.2%	0.2%	0.4%	99.6%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.4%	5.0%	9.8%	90.2%
Grade 7	1.6%	2.5%	4.0%	96.1%
Grade 8	3.4%	4.9%	7.5%	92.5%
Grade 9	5.3%	6.4%	10.5%	89.5%
Grade 10	4.0%	6.6%	14.1%	85.9%
Grade 11	2.7%	4.1%	12.5%	87.5%
Grade 12	4.4%	6.8%	14.5%	85.5%
Methamphetamine				
All	0.3%	0.3%	0.5%	99.4%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.4%	99.5%
Grade 10	0.6%	0.6%	1.0%	98.9%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.8%	9.8%	18.8%	81.2%
	Grade 7	3.5%	4.4%	10.4%	89.5%
	Grade 8	5.3%	7.8%	15.2%	84.7%
	Grade 9	4.7%	6.3%	14.3%	85.7%
	Grade 10	6.2%	9.5%	20.3%	79.7%
	Grade 11	10.7%	16.8%	26.5%	73.5%
	Grade 12	12.7%	17.1%	31.1%	68.9%
Alcohol	All	19.3%	25.7%	45.3%	54.7%
	Grade 7	8.3%	10.4%	26.7%	73.3%
	Grade 8	14.2%	17.5%	41.0%	59.0%
	Grade 9	15.1%	21.3%	37.3%	62.7%
	Grade 10	23.3%	30.6%	54.3%	45.7%
	Grade 11	30.7%	40.1%	59.9%	40.1%
	Grade 12	29.5%	41.9%	60.5%	39.4%
Inhalants	All	4.7%	5.8%	12.8%	87.1%
	Grade 7	6.6%	8.2%	16.0%	84.0%
	Grade 8	6.3%	7.7%	16.3%	83.7%
	Grade 9	4.2%	4.8%	10.0%	90.1%
	Grade 10	4.8%	5.8%	14.4%	85.6%
	Grade 11	3.9%	5.0%	11.5%	88.5%
	Grade 12	1.6%	2.3%	7.1%	92.8%
Any Illicit Drug	All	8.9%	12.3%	20.8%	79.1%
	Grade 7	3.2%	3.5%	7.4%	92.7%
	Grade 8	5.7%	8.5%	14.2%	85.8%
	Grade 9	8.8%	11.9%	19.9%	80.0%
	Grade 10	11.0%	15.1%	25.6%	74.5%
	Grade 11	12.6%	18.1%	32.5%	67.4%
	Grade 12	15.0%	21.3%	32.0%	68.0%
Marijuana	All	7.6%	11.0%	19.6%	80.4%
	Grade 7	2.5%	2.8%	6.1%	93.9%
	Grade 8	4.2%	7.2%	12.7%	87.3%
	Grade 9	7.7%	10.9%	19.1%	80.8%
	Grade 10	9.8%	13.5%	24.6%	75.5%
	Grade 11	10.6%	15.8%	30.8%	69.3%
	Grade 12	13.5%	19.7%	30.2%	69.8%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.2%	4.9%	10.8%	89.1%
Grade 7	1.4%	1.4%	3.9%	96.1%
Grade 8	1.7%	2.6%	6.7%	93.3%
Grade 9	2.5%	4.5%	11.0%	89.0%
Grade 10	4.2%	5.8%	12.5%	87.5%
Grade 11	4.8%	7.4%	17.7%	82.4%
Grade 12	5.5%	9.6%	16.6%	83.3%
Cocaine Or Crack				
All	1.1%	1.5%	2.8%	97.2%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.5%	1.1%	2.0%	98.0%
Grade 9	2.3%	2.3%	2.6%	97.4%
Grade 10	1.1%	1.6%	3.8%	96.2%
Grade 11	0.8%	1.5%	3.6%	96.4%
Grade 12	1.7%	2.1%	4.7%	95.4%
Cocaine				
All	1.0%	1.3%	2.6%	97.4%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.6%	98.4%
Grade 9	2.0%	2.0%	2.3%	97.7%
Grade 10	0.6%	1.1%	3.5%	96.5%
Grade 11	0.8%	1.5%	3.6%	96.4%
Grade 12	1.7%	2.1%	4.7%	95.4%
Crack				
All	0.3%	0.4%	0.6%	99.5%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.0%	0.3%	0.5%	99.5%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	0.4%	0.4%	0.7%	99.2%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.2%	99.8%
Hallucinogens				
All	0.6%	0.7%	1.6%	98.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.9%	1.2%	1.3%	98.7%
Grade 9	0.6%	0.6%	1.5%	98.5%
Grade 10	1.0%	1.1%	2.4%	97.7%
Grade 11	0.4%	0.6%	1.9%	98.1%
Grade 12	0.4%	0.7%	2.6%	97.3%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.7%	1.4%	98.6%
	Grade 7	0.0%	0.1%	0.2%	99.8%
	Grade 8	0.6%	0.8%	1.2%	98.7%
	Grade 9	1.4%	1.4%	1.9%	98.1%
	Grade 10	1.1%	1.1%	1.6%	98.4%
	Grade 11	0.5%	0.7%	2.2%	97.7%
	Grade 12	0.2%	0.2%	1.4%	98.6%
Steroids	All	0.5%	0.6%	1.0%	99.1%
	Grade 7	0.5%	0.5%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.4%	99.6%
	Grade 9	0.5%	0.5%	0.8%	99.2%
	Grade 10	0.6%	0.7%	0.9%	99.1%
	Grade 11	0.9%	1.2%	2.2%	97.9%
	Grade 12	0.5%	0.6%	0.8%	99.2%
Ecstasy	All	1.3%	1.7%	3.2%	96.8%
	Grade 7	0.2%	0.2%	0.7%	99.3%
	Grade 8	0.9%	1.0%	1.7%	98.3%
	Grade 9	1.2%	2.2%	2.7%	97.3%
	Grade 10	2.2%	2.7%	4.5%	95.5%
	Grade 11	2.2%	2.5%	5.4%	94.6%
	Grade 12	1.7%	2.4%	5.4%	94.5%
Heroin	All	0.1%	0.3%	0.5%	99.5%
	Grade 7	0.1%	0.3%	0.4%	99.5%
	Grade 8	0.3%	0.5%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.1%	0.5%	99.4%
	Grade 11	0.0%	0.8%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.4%	3.2%	6.3%	93.6%
Grade 7	0.7%	1.0%	2.1%	97.9%
Grade 8	2.5%	4.0%	5.1%	94.9%
Grade 9	4.3%	4.9%	7.0%	93.0%
Grade 10	2.0%	3.3%	8.8%	91.1%
Grade 11	2.6%	3.0%	9.0%	90.9%
Grade 12	2.9%	3.7%	7.7%	92.3%
Methamphetamine				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.0%	0.1%	1.4%	98.6%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.8%	16.0%	30.7%	69.3%
	Grade 7	3.7%	5.1%	14.0%	86.1%
	Grade 8	8.9%	13.5%	25.0%	75.0%
	Grade 9	9.5%	10.8%	26.4%	73.6%
	Grade 10	13.7%	19.2%	35.1%	64.8%
	Grade 11	17.7%	23.1%	39.7%	60.3%
	Grade 12	19.5%	27.2%	48.2%	51.8%
Alcohol	All	26.5%	34.7%	56.3%	43.8%
	Grade 7	11.4%	13.8%	32.2%	67.8%
	Grade 8	19.3%	25.3%	49.0%	51.0%
	Grade 9	23.3%	28.9%	52.5%	47.5%
	Grade 10	31.4%	43.4%	63.8%	36.2%
	Grade 11	38.3%	48.4%	70.6%	29.4%
	Grade 12	39.6%	54.1%	75.1%	25.0%
Inhalants	All	6.1%	7.8%	16.2%	83.8%
	Grade 7	9.5%	12.2%	19.7%	80.4%
	Grade 8	9.7%	10.7%	20.9%	79.1%
	Grade 9	4.7%	5.1%	12.0%	88.0%
	Grade 10	5.0%	5.9%	15.3%	84.7%
	Grade 11	3.9%	5.4%	14.8%	85.3%
	Grade 12	3.1%	7.0%	13.8%	86.2%
Any Illicit Drug	All	16.1%	21.5%	36.4%	63.6%
	Grade 7	7.1%	8.9%	14.5%	85.5%
	Grade 8	11.7%	14.8%	27.1%	72.9%
	Grade 9	14.1%	19.2%	32.5%	67.5%
	Grade 10	18.8%	26.2%	43.7%	56.3%
	Grade 11	22.1%	29.4%	47.8%	52.2%
	Grade 12	25.6%	34.2%	58.5%	41.4%
Marijuana	All	14.9%	20.4%	35.3%	64.7%
	Grade 7	5.4%	7.2%	13.1%	86.9%
	Grade 8	10.7%	13.6%	24.9%	75.0%
	Grade 9	13.0%	18.8%	31.7%	68.3%
	Grade 10	17.0%	24.1%	43.4%	56.7%
	Grade 11	20.2%	28.8%	47.5%	52.5%
	Grade 12	25.6%	32.9%	56.8%	43.2%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only	All	5.6%	7.8%	18.1%	81.9%
	Grade 7	2.0%	2.2%	5.7%	94.3%
	Grade 8	4.7%	5.8%	13.1%	86.9%
	Grade 9	4.3%	6.4%	16.7%	83.3%
	Grade 10	5.6%	8.9%	21.6%	78.4%
	Grade 11	6.9%	10.5%	22.6%	77.4%
	Grade 12	11.1%	14.5%	32.3%	67.7%
Cocaine Or Crack	All	1.6%	2.4%	5.0%	95.1%
	Grade 7	1.4%	1.9%	2.8%	97.1%
	Grade 8	1.3%	1.5%	3.1%	96.9%
	Grade 9	0.8%	1.3%	2.5%	97.5%
	Grade 10	1.1%	2.0%	5.2%	94.8%
	Grade 11	1.5%	2.4%	6.5%	93.4%
	Grade 12	3.5%	5.3%	10.3%	89.7%
Cocaine	All	1.3%	1.9%	4.3%	95.6%
	Grade 7	1.4%	1.9%	2.6%	97.3%
	Grade 8	0.4%	0.4%	1.9%	98.1%
	Grade 9	0.8%	1.3%	2.5%	97.5%
	Grade 10	0.9%	1.3%	4.0%	96.0%
	Grade 11	1.3%	2.2%	6.3%	93.6%
	Grade 12	3.5%	5.3%	10.3%	89.7%
Crack	All	0.4%	0.6%	1.1%	99.0%
	Grade 7	0.4%	0.6%	0.8%	99.1%
	Grade 8	1.1%	1.3%	2.0%	98.0%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.4%	0.9%	1.6%	98.4%
	Grade 11	0.2%	0.2%	1.3%	98.7%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens	All	1.2%	2.0%	3.4%	96.6%
	Grade 7	0.9%	1.2%	1.5%	98.5%
	Grade 8	0.5%	0.9%	1.6%	98.4%
	Grade 9	0.9%	1.8%	2.5%	97.5%
	Grade 10	2.0%	2.9%	6.5%	93.6%
	Grade 11	1.4%	1.6%	4.0%	96.1%
	Grade 12	2.0%	4.2%	5.2%	94.8%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.8%	2.2%	97.8%
	Grade 7	0.2%	0.5%	1.3%	98.6%
	Grade 8	0.5%	0.5%	1.9%	98.1%
	Grade 9	0.7%	1.0%	1.8%	98.1%
	Grade 10	0.7%	0.9%	2.7%	97.3%
	Grade 11	0.6%	0.8%	3.2%	96.8%
	Grade 12	0.7%	1.1%	2.0%	98.0%
Steroids	All	0.4%	0.5%	0.8%	99.2%
	Grade 7	0.8%	1.2%	1.3%	98.6%
	Grade 8	0.0%	0.0%	0.9%	99.1%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	0.9%	1.4%	98.6%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.2%	0.2%	0.2%	99.8%
Ecstasy	All	2.0%	3.2%	6.8%	93.2%
	Grade 7	0.4%	1.0%	1.0%	99.0%
	Grade 8	2.1%	2.2%	3.8%	96.2%
	Grade 9	1.1%	2.3%	5.1%	94.9%
	Grade 10	3.3%	5.9%	10.1%	89.9%
	Grade 11	1.6%	2.4%	8.2%	91.8%
	Grade 12	3.6%	5.9%	14.6%	85.5%
Heroin	All	0.2%	0.4%	0.6%	99.5%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	0.2%	0.4%	0.4%	99.6%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.2%	1.0%	1.5%	98.5%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.3%	0.3%	0.8%	99.3%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.8%	6.0%	12.7%	87.4%
Grade 7	3.0%	4.6%	6.9%	93.1%
Grade 8	4.5%	5.8%	9.8%	90.2%
Grade 9	3.4%	4.6%	11.0%	89.0%
Grade 10	4.3%	8.1%	16.7%	83.3%
Grade 11	3.9%	6.4%	17.8%	82.2%
Grade 12	3.5%	6.4%	14.7%	85.2%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.4%	0.9%	1.4%	98.6%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.8%	11.0%	21.7%	78.4%
	Grade 7	2.6%	3.5%	9.4%	90.5%
	Grade 8	5.3%	7.9%	16.7%	83.4%
	Grade 9	7.1%	8.6%	18.3%	81.7%
	Grade 10	7.4%	11.6%	23.9%	76.1%
	Grade 11	12.3%	17.6%	29.2%	70.8%
	Grade 12	14.2%	19.5%	37.5%	62.5%
Alcohol	All	21.0%	27.5%	48.1%	52.0%
	Grade 7	8.3%	10.6%	25.5%	74.5%
	Grade 8	14.5%	17.8%	41.4%	58.6%
	Grade 9	18.7%	23.7%	44.0%	55.9%
	Grade 10	24.8%	33.2%	55.4%	44.6%
	Grade 11	32.5%	41.2%	63.3%	36.7%
	Grade 12	32.4%	45.7%	66.8%	33.3%
Inhalants	All	4.7%	5.8%	13.2%	86.7%
	Grade 7	7.0%	8.3%	15.9%	84.0%
	Grade 8	6.3%	7.4%	16.6%	83.4%
	Grade 9	4.0%	4.7%	10.4%	89.7%
	Grade 10	4.8%	5.7%	14.3%	85.7%
	Grade 11	2.9%	4.1%	11.6%	88.5%
	Grade 12	2.6%	3.9%	9.5%	90.5%
Any Illicit Drug	All	10.2%	14.2%	24.8%	75.2%
	Grade 7	4.3%	4.8%	8.4%	91.6%
	Grade 8	6.4%	9.0%	16.8%	83.2%
	Grade 9	10.5%	14.4%	23.8%	76.2%
	Grade 10	12.4%	16.7%	29.8%	70.2%
	Grade 11	14.2%	20.6%	35.7%	64.3%
	Grade 12	15.7%	23.6%	41.3%	58.7%
Marijuana	All	9.2%	13.2%	23.7%	76.3%
	Grade 7	3.4%	3.9%	7.1%	92.9%
	Grade 8	5.7%	8.0%	15.3%	84.7%
	Grade 9	9.3%	13.4%	22.7%	77.3%
	Grade 10	11.6%	15.4%	29.0%	70.9%
	Grade 11	12.6%	19.4%	34.8%	65.3%
	Grade 12	15.3%	22.9%	40.1%	59.9%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.7%	5.6%	13.2%	86.7%
Grade 7	1.6%	1.7%	4.0%	96.1%
Grade 8	2.5%	3.2%	8.8%	91.2%
Grade 9	3.6%	5.7%	13.7%	86.3%
Grade 10	5.5%	7.6%	16.5%	83.4%
Grade 11	4.9%	7.9%	18.4%	81.7%
Grade 12	5.3%	9.5%	22.0%	78.1%
Cocaine Or Crack				
All	1.1%	1.6%	3.3%	96.8%
Grade 7	0.8%	1.1%	1.7%	98.3%
Grade 8	0.8%	1.3%	2.4%	97.7%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	1.0%	1.5%	3.3%	96.7%
Grade 11	0.7%	1.7%	4.4%	95.6%
Grade 12	2.3%	2.7%	6.5%	93.5%
Cocaine				
All	1.0%	1.4%	3.0%	97.0%
Grade 7	0.8%	1.1%	1.6%	98.4%
Grade 8	0.4%	0.6%	1.6%	98.4%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	0.6%	0.9%	2.6%	97.4%
Grade 11	0.7%	1.7%	4.4%	95.6%
Grade 12	2.3%	2.7%	6.5%	93.5%
Crack				
All	0.2%	0.3%	0.5%	99.4%
Grade 7	0.2%	0.3%	0.6%	99.5%
Grade 8	0.5%	0.8%	1.2%	98.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.5%	0.8%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.9%	1.7%	98.3%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.4%	0.7%	0.9%	99.2%
Grade 9	0.2%	0.6%	1.2%	98.7%
Grade 10	0.9%	1.2%	3.0%	97.1%
Grade 11	0.4%	0.6%	2.0%	98.0%
Grade 12	1.0%	2.0%	3.1%	96.9%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.5%	0.6%	1.5%	98.6%
	Grade 7	0.1%	0.3%	0.8%	99.2%
	Grade 8	0.4%	0.6%	1.1%	99.0%
	Grade 9	1.0%	1.0%	1.4%	98.6%
	Grade 10	0.5%	0.5%	1.6%	98.5%
	Grade 11	0.6%	0.7%	2.5%	97.5%
	Grade 12	0.4%	0.5%	1.7%	98.4%
Steroids	All	0.4%	0.5%	0.7%	99.3%
	Grade 7	0.5%	0.6%	0.8%	99.2%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.4%	0.4%	0.4%	99.6%
	Grade 10	0.7%	0.7%	1.1%	98.9%
	Grade 11	0.7%	0.8%	1.0%	98.9%
	Grade 12	0.3%	0.4%	0.5%	99.5%
Ecstasy	All	1.2%	1.9%	4.0%	96.0%
	Grade 7	0.2%	0.4%	0.7%	99.4%
	Grade 8	1.1%	1.2%	1.9%	98.1%
	Grade 9	1.0%	2.0%	3.2%	96.8%
	Grade 10	1.9%	3.0%	5.2%	94.8%
	Grade 11	1.5%	2.0%	5.9%	94.1%
	Grade 12	1.6%	3.2%	8.6%	91.4%
Heroin	All	0.1%	0.3%	0.5%	99.5%
	Grade 7	0.1%	0.3%	0.4%	99.6%
	Grade 8	0.3%	0.4%	0.7%	99.3%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.0%	0.1%	0.5%	99.5%
	Grade 11	0.0%	0.6%	0.8%	99.3%
	Grade 12	0.1%	0.1%	0.2%	99.8%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.6%	3.8%	7.8%	92.2%
Grade 7	1.5%	1.9%	3.1%	97.0%
Grade 8	2.6%	4.1%	5.6%	94.4%
Grade 9	3.6%	4.5%	7.2%	92.8%
Grade 10	2.3%	3.8%	9.6%	90.4%
Grade 11	2.6%	3.9%	12.4%	87.7%
Grade 12	3.1%	4.7%	10.8%	89.2%
Methamphetamine				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.4%	99.6%
Grade 11	0.1%	0.1%	1.3%	98.7%
Grade 12	0.0%	0.0%	0.1%	99.9%

**Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	13.1%	16.5%	30.7%	69.3%
	Grade 7	9.6%	10.9%	24.7%	75.3%
	Grade 8	16.0%	19.9%	30.3%	69.8%
	Grade 9	5.4%	6.3%	22.1%	78.0%
	Grade 10	14.5%	19.4%	34.4%	65.5%
	Grade 11	18.3%	25.3%	41.2%	58.8%
	Grade 12	18.8%	22.9%	37.0%	62.9%
Alcohol	All	26.1%	36.4%	55.7%	44.3%
	Grade 7	13.6%	17.7%	45.2%	54.8%
	Grade 8	25.1%	32.9%	55.0%	45.0%
	Grade 9	16.1%	25.5%	38.4%	61.6%
	Grade 10	33.6%	47.7%	70.0%	30.0%
	Grade 11	37.3%	51.3%	66.7%	33.3%
	Grade 12	37.8%	51.3%	67.6%	32.4%
Inhalants	All	7.6%	10.4%	18.9%	81.1%
	Grade 7	10.9%	17.1%	29.1%	70.9%
	Grade 8	11.7%	13.8%	23.8%	76.2%
	Grade 9	6.0%	6.0%	11.2%	88.8%
	Grade 10	5.3%	6.8%	17.8%	82.2%
	Grade 11	9.6%	11.6%	19.0%	80.9%
	Grade 12	1.7%	7.8%	13.2%	86.9%
Any Illicit Drug	All	18.4%	23.3%	35.3%	64.7%
	Grade 7	6.7%	9.7%	18.9%	81.0%
	Grade 8	15.5%	19.7%	28.5%	71.6%
	Grade 9	14.5%	16.9%	28.8%	71.2%
	Grade 10	21.2%	30.2%	42.6%	57.4%
	Grade 11	26.2%	32.0%	53.3%	46.8%
	Grade 12	30.9%	37.0%	46.4%	53.6%
Marijuana	All	16.1%	21.0%	34.0%	66.0%
	Grade 7	4.5%	7.4%	16.8%	83.3%
	Grade 8	13.9%	19.1%	27.0%	73.0%
	Grade 9	12.8%	16.0%	28.8%	71.2%
	Grade 10	16.9%	25.6%	41.9%	58.1%
	Grade 11	23.2%	29.1%	51.6%	48.4%
	Grade 12	29.8%	33.5%	43.7%	56.2%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	6.8%	8.9%	16.4%	83.6%
Grade 7	2.2%	2.2%	8.1%	92.0%
Grade 8	6.2%	8.2%	12.3%	87.8%
Grade 9	2.3%	4.0%	11.4%	88.6%
Grade 10	4.6%	6.9%	15.5%	84.5%
Grade 11	10.7%	14.8%	29.4%	70.6%
Grade 12	19.3%	22.2%	27.3%	72.6%
Cocaine Or Crack				
All	2.4%	3.1%	5.3%	94.7%
Grade 7	1.1%	1.1%	1.8%	98.2%
Grade 8	1.5%	2.0%	3.2%	96.8%
Grade 9	4.4%	4.4%	4.4%	95.6%
Grade 10	2.1%	3.2%	7.8%	92.2%
Grade 11	2.0%	2.0%	6.8%	93.3%
Grade 12	3.1%	6.1%	9.2%	90.8%
Cocaine				
All	2.0%	2.6%	4.7%	95.3%
Grade 7	1.1%	1.1%	1.1%	98.9%
Grade 8	1.0%	1.0%	2.2%	97.7%
Grade 9	3.5%	3.5%	3.5%	96.5%
Grade 10	1.6%	2.7%	7.3%	92.7%
Grade 11	1.3%	1.3%	6.1%	94.0%
Grade 12	3.1%	6.1%	9.3%	90.7%
Crack				
All	0.8%	0.9%	1.3%	98.7%
Grade 7	0.5%	0.5%	1.2%	98.7%
Grade 8	0.5%	1.0%	1.0%	99.1%
Grade 9	1.6%	1.6%	1.6%	98.4%
Grade 10	0.4%	0.4%	0.8%	99.1%
Grade 11	0.7%	0.7%	2.2%	97.9%
Grade 12	0.9%	0.9%	0.9%	99.1%
Hallucinogens				
All	2.0%	2.5%	4.9%	95.1%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	1.5%	2.2%	3.7%	96.3%
Grade 9	3.6%	3.6%	5.9%	94.0%
Grade 10	1.2%	2.2%	5.6%	94.4%
Grade 11	3.3%	3.3%	6.3%	93.7%
Grade 12	1.5%	3.3%	7.2%	92.8%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	1.2%	1.6%	2.6%	97.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.8%	1.8%	3.3%	96.7%
	Grade 9	1.8%	2.5%	4.2%	95.8%
	Grade 10	2.5%	3.1%	3.8%	96.2%
	Grade 11	0.3%	0.8%	1.9%	98.1%
	Grade 12	0.4%	0.9%	2.0%	98.0%
Steroids	All	0.8%	0.9%	1.3%	98.8%
	Grade 7	1.6%	2.1%	2.4%	97.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.2%	1.4%	1.8%	98.2%
	Grade 11	1.1%	1.1%	2.7%	97.3%
	Grade 12	1.1%	1.1%	1.1%	98.9%
Ecstasy	All	2.0%	3.1%	5.8%	94.2%
	Grade 7	1.0%	1.5%	1.5%	98.4%
	Grade 8	1.7%	2.0%	3.6%	96.4%
	Grade 9	2.7%	4.3%	6.8%	93.2%
	Grade 10	3.0%	5.8%	9.0%	91.0%
	Grade 11	1.6%	2.3%	7.0%	93.0%
	Grade 12	2.0%	2.0%	6.9%	93.1%
Heroin	All	0.3%	0.4%	0.4%	99.6%
	Grade 7	0.5%	0.5%	0.5%	99.5%
	Grade 8	0.6%	1.1%	1.1%	98.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	0.9%	0.9%	99.1%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	4.8%	6.9%	13.2%	86.8%
Grade 7	2.3%	5.3%	8.7%	91.2%
Grade 8	6.7%	8.5%	12.9%	87.1%
Grade 9	6.9%	6.9%	13.7%	86.3%
Grade 10	4.7%	8.6%	19.6%	80.4%
Grade 11	5.5%	7.0%	15.3%	84.8%
Grade 12	1.7%	4.7%	8.3%	91.8%
Methamphetamine				
All	0.6%	0.7%	1.2%	98.7%
Grade 7	1.0%	1.0%	1.0%	98.9%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.0%	0.0%	1.0%	99.0%
Grade 10	2.5%	2.5%	3.7%	96.3%
Grade 11	0.0%	0.6%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%

3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	144,066	50.6%
Female	140,533	49.4%
Frequency Missing = 1106		

GRADE		
q2	Frequency	Percent
Grade 7	54,460	19.1%
Grade 8	51,707	18.1%
Grade 9	49,053	17.2%
Grade 10	46,831	16.4%
Grade 11	43,843	15.3%
Grade 12	39,813	13.9%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	106,702	37.6%
Yes	176,908	62.4%
Frequency Missing = 2095		

AGE		
q4	Frequency	Percent
10 or below	30	0.0%
11	424	0.1%
12	20,183	7.1%
13	49,154	17.3%
14	48,624	17.1%
15	49,317	17.3%
16	48,609	17.1%
17	41,724	14.7%
18	23,348	8.2%
19 or older	2,885	1.0%
Frequency Missing = 1407		

ETHNICITY		
q5	Frequency	Percent
African Am.	3,096	1.1%
Asian Am.	2,245	0.8%
Mexican Am.	254,635	91.5%
Native Am.	395	0.1%
Other	1,224	0.4%
White	16,754	6.0%
Frequency Missing = 7355		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	58,997	24.0%
Mostly B's	136,111	55.4%
Mostly C's	45,292	18.4%
Mostly D's	4,150	1.7%
Mostly F's	938	0.4%
Frequency Missing = 40215		

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	222,383	89.5%
Yes	26,070	10.5%
Frequency Missing = 37251		

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	55,649	22.8%
No	39,742	16.3%
Yes	148,562	60.9%
Frequency Missing = 41751		

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	124,880	53.1%
Yes	110,129	46.9%
Frequency Missing = 50696		

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	177,237	79.8%
Yes	44,907	20.2%
Frequency Missing = 63561		

PARTICIPATE IN SCHOOL CHOIR		
q9c	Frequency	Percent
No	198,971	91.2%
Yes	19,148	8.8%
Frequency Missing = 67586		

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q9h	Frequency	Percent
No	151,612	67.5%
Yes	72,960	32.5%
Frequency Missing = 61133		

PARTICIPATE IN DRILL TEAM/CHEER-LEADING		
q9d	Frequency	Percent
No	202,259	92.8%
Yes	15,682	7.2%
Frequency Missing = 67763		

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q9i	Frequency	Percent
No	173,060	79.0%
Yes	45,989	21.0%
Frequency Missing = 66656		

PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK		
q9e	Frequency	Percent
No	202,984	93.1%
Yes	15,031	6.9%
Frequency Missing = 67689		

DO YOU FEEL SAFE IN YOUR HOME		
q10a	Frequency	Percent
Very Safe	240,002	84.9%
Somewhat Safe	36,562	12.9%
Not Very Safe	2,775	1.0%
Not Safe At All	647	0.2%
Don't Know	2,805	1.0%
Frequency Missing = 2914		

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS		
q9f	Frequency	Percent
No	168,115	76.0%
Yes	53,083	24.0%
Frequency Missing = 64507		

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q10b	Frequency	Percent
Very Safe	102,584	36.6%
Somewhat Safe	137,905	49.2%
Not Very Safe	25,983	9.3%
Not Safe At All	5,645	2.0%
Don't Know	8,055	2.9%
Frequency Missing = 5532		

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q9g	Frequency	Percent
No	162,843	74.2%
Yes	56,758	25.8%
Frequency Missing = 66104		

DO YOU FEEL SAFE AT SCHOOL		
q10c	Frequency	Percent
Very Safe	116,435	41.5%
Somewhat Safe	124,594	44.4%
Not Very Safe	20,974	7.5%
Not Safe At All	8,735	3.1%
Don't Know	9,779	3.5%
Frequency Missing = 5188		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	21,792	7.8%
A Few	75,116	26.8%
Some	70,290	25.1%
Most	84,244	30.1%
All	28,535	10.2%

Frequency Missing = 5728

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	177,832	63.6%
A Few	64,660	23.1%
Some	24,241	8.7%
Most	7,794	2.8%
All	4,892	1.8%

Frequency Missing = 6285

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	220,060	79.7%
A Few	36,820	13.3%
Some	13,839	5.0%
Most	3,878	1.4%
All	1,525	0.6%

Frequency Missing = 9583

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	103,003	56.5%
Yes	79,244	43.5%

Frequency Missing = 103458

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	8,176	3.0%
A Few	39,032	14.2%
Some	62,364	22.8%
Most	106,135	38.7%
All	58,303	21.3%

Frequency Missing = 11694

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	273,569	97.2%
Heard/Used		
In Your Life-time	4,843	1.7%
Since School Began	770	0.3%
In the Past Month	2,193	0.8%

Frequency Missing = 4330

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	212,860	76.3%
A Few	39,710	14.2%
Some	17,352	6.2%
Most	6,853	2.5%
All	2,345	0.8%

Frequency Missing = 6584

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	261,303	92.9%
Heard/Used		
In Your Life-time	11,402	4.1%
Since School Began	2,476	0.9%
In the Past Month	6,169	2.2%

Frequency Missing = 4355

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT INHALANT USE - COMPUTER DUSTING SPRAYS		
q13c	Frequency	Percent
Never	273,382	97.8%
Heard/Used		
In Your Life-time	3,608	1.3%
Since School Began	580	0.2%
In the Past Month	1,847	0.7%

Frequency Missing = 6288

RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS		
q13f	Frequency	Percent
Never	276,185	98.4%
Heard/Used		
In Your Life-time	1,690	0.6%
Since School Began	820	0.3%
In the Past Month	1,853	0.7%

Frequency Missing = 5158

RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON		
q13d	Frequency	Percent
Never	260,500	92.7%
Heard/Used		
In Your Life-time	12,272	4.4%
Since School Began	2,325	0.8%
In the Past Month	6,025	2.1%

Frequency Missing = 4583

RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER		
q13g	Frequency	Percent
Never	273,232	97.6%
Heard/Used		
In Your Life-time	3,245	1.2%
Since School Began	958	0.3%
In the Past Month	2,577	0.9%

Frequency Missing = 5693

RECENT INHALANT USE - GLUE		
q13e	Frequency	Percent
Never	277,046	98.8%
Heard/Used		
In Your Life-time	1,752	0.6%
Since School Began	503	0.2%
In the Past Month	1,092	0.4%

Frequency Missing = 5312

RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS		
q13h	Frequency	Percent
Never	274,731	97.7%
Heard/Used		
In Your Life-time	3,125	1.1%
Since School Began	818	0.3%
In the Past Month	2,424	0.9%

Frequency Missing = 4607

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	218,505	77.9%
Heard/Used		
In Your Life-time	30,718	11.0%
Since School Began	9,209	3.3%
In the Past Month	22,005	7.8%

Frequency Missing = 5268

RECENT WINE USE		
q14e	Frequency	Percent
Never	196,171	71.7%
Heard/Used		
In Your Life-time	40,497	14.8%
Since School Began	11,431	4.2%
In the Past Month	25,474	9.3%

Frequency Missing = 12132

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	258,015	93.0%
Heard/Used		
In Your Life-time	7,690	2.8%
Since School Began	4,352	1.6%
In the Past Month	7,309	2.6%

Frequency Missing = 8338

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	189,077	67.8%
Heard/Used		
In Your Life-time	36,417	13.0%
Since School Began	17,621	6.3%
In the Past Month	35,957	12.9%

Frequency Missing = 6632

RECENT BEER USE		
q14c	Frequency	Percent
Never	166,901	61.1%
Heard/Used		
In Your Life-time	48,943	17.9%
Since School Began	16,743	6.1%
In the Past Month	40,704	14.9%

Frequency Missing = 12414

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	269,733	95.3%
Heard/Used		
In Your Life-time	6,748	2.4%
Since School Began	2,321	0.8%
In the Past Month	4,101	1.4%

Frequency Missing = 2803

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	194,254	70.0%
Heard/Used		
In Your Life-time	34,410	12.4%
Since School Began	14,248	5.1%
In the Past Month	34,431	12.4%

Frequency Missing = 8362

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	208,288	74.5%
Heard/Used		
In Your Life-time	30,709	11.0%
Since School Began	11,617	4.2%
In the Past Month	28,986	10.4%

Frequency Missing = 6106

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	270,488	96.7%
Heard/Used		
In Your Life- time	4,808	1.7%
Since School Began	1,231	0.4%
In the Past Month	3,120	1.1%
Frequency Missing = 6057		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	276,542	99.1%
Heard/Used		
In Your Life- time	917	0.3%
Since School Began	203	0.1%
In the Past Month	1,265	0.5%
Frequency Missing = 6778		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	277,143	99.3%
Heard/Used		
In Your Life- time	750	0.3%
Since School Began	272	0.1%
In the Past Month	925	0.3%
Frequency Missing = 6614		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	264,849	95.4%
Heard/Used		
In Your Life- time	6,310	2.3%
Since School Began	1,974	0.7%
In the Past Month	4,424	1.6%
Frequency Missing = 8148		

	RECENT CINOGEN USE	HALLU-
q15e	Frequency	Percent
Never	271,902	97.7%
Heard/Used		
In Your Life- time	3,085	1.1%
Since School Began	1,054	0.4%
In the Past Month	2,361	0.8%
Frequency Missing = 7302		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	277,110	99.5%
Heard/Used		
In Your Life- time	515	0.2%
Since School Began	497	0.2%
In the Past Month	388	0.1%
Frequency Missing = 7194		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	274,351	98.3%
Heard/Used		
In Your Life- time	2,587	0.9%
Since School Began	408	0.1%
In the Past Month	1,680	0.6%
Frequency Missing = 6678		

	RECENT PHETAMINE USE	METHAM-
q15j	Frequency	Percent
Never	276,792	99.3%
Heard/Used		
In Your Life- time	1,018	0.4%
Since School Began	157	0.1%
In the Past Month	703	0.3%
Frequency Missing = 7034		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	254,249	91.2%
Heard/Used		
In Your Life- time	12,397	4.4%
Since School Began	3,772	1.4%
In the Past Month	8,337	3.0%
Frequency Missing = 6950		

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG
q16d	Frequency	Percent
Never	275,345	98.9%
Heard/Used		
In Your Life- time	1,124	0.4%
Since School Began	335	0.1%
In the Past Month	1,586	0.6%
Frequency Missing = 7315		

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG
q16a	Frequency	Percent
Never	251,920	90.1%
Heard/Used		
In Your Life- time	10,714	3.8%
Since School Began	5,423	1.9%
In the Past Month	11,435	4.1%
Frequency Missing = 6212		

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG
q16e	Frequency	Percent
Never	269,327	96.6%
Heard/Used		
In Your Life- time	2,976	1.1%
Since School Began	1,662	0.6%
In the Past Month	4,973	1.8%
Frequency Missing = 6765		

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG
q16b	Frequency	Percent
Never	273,751	98.1%
Heard/Used		
In Your Life- time	1,897	0.7%
Since School Began	1,098	0.4%
In the Past Month	2,203	0.8%
Frequency Missing = 6756		

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	262,746	96.8%
Heard/Used		
In Your Life- time	3,906	1.4%
Since School Began	842	0.3%
In the Past Month	3,881	1.4%
Frequency Missing = 14330		

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG
q16c	Frequency	Percent
Never	269,045	96.5%
Heard/Used		
In Your Life- time	3,805	1.4%
Since School Began	1,237	0.4%
In the Past Month	4,666	1.7%
Frequency Missing = 6951		

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	251,190	90.3%
Heard/Used		
1-2 times	17,267	6.2%
3-10 times	6,023	2.2%
11+ times	3,792	1.4%
Frequency Missing = 7433		

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	204,025	73.6%
Heard/Used		
1-2 times	45,723	16.5%
3-10 times	19,670	7.1%
11+ times	7,731	2.8%
Frequency Missing = 8556		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	270,244	97.2%
Heard/Used		
1-2 times	5,810	2.1%
3-10 times	1,431	0.5%
11+ times	579	0.2%
Frequency Missing = 7641		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	234,765	84.2%
Heard/Used		
1-2 times	21,431	7.7%
3-10 times	9,670	3.5%
11+ times	12,891	4.6%
Frequency Missing = 6948		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	273,958	98.2%
Heard/Used		
1-2 times	3,577	1.3%
3-10 times	815	0.3%
11+ times	488	0.2%
Frequency Missing = 6866		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	278,159	99.7%
Heard/Used		
1-2 times	399	0.1%
3-10 times	72	0.0%
11+ times	237	0.1%
Frequency Missing = 6838		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	183,826	66.5%
heard/None		
A few	55,260	20.0%
Some	24,226	8.8%
Most	10,647	3.9%
All	2,384	0.9%
Frequency Missing = 9363		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	123,424	44.7%
heard/None		
A few	67,053	24.3%
Some	40,698	14.7%
Most	33,555	12.2%
All	11,209	4.1%
Frequency Missing = 9766		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	241,669	87.8%
heard/None		
A few	21,806	7.9%
Some	8,166	3.0%
Most	2,610	0.9%
All	895	0.3%
Frequency Missing = 10559		

q19d	CLOSE FRIENDS USE MARIJUANA	
	Frequency	Percent
Never heard/None	135,001	49.0%
A few	56,308	20.4%
Some	36,504	13.2%
Most	34,994	12.7%
All	12,700	4.6%

Frequency Missing = 10197

q20d	DIFFICULT TO GET MARIJUANA	
	Frequency	Percent
Never heard of	87,501	32.5%
Impossible	45,291	16.8%
Very difficult	13,981	5.2%
Somewhat diff	23,291	8.7%
Somewhat easy	36,121	13.4%
Very easy	62,958	23.4%

Frequency Missing = 16561

q20a	DIFFICULT TO GET TOBACCO	
	Frequency	Percent
Never heard of	100,177	37.1%
Impossible	49,075	18.2%
Very difficult	16,833	6.2%
Somewhat diff	23,122	8.6%
Somewhat easy	33,729	12.5%
Very easy	47,065	17.4%

Frequency Missing = 15703

q20e	DIFFICULT TO GET COCAINE	
	Frequency	Percent
Never heard of	116,495	43.2%
Impossible	64,331	23.9%
Very difficult	27,653	10.3%
Somewhat diff	24,238	9.0%
Somewhat easy	18,051	6.7%
Very easy	18,725	6.9%

Frequency Missing = 16212

q20b	DIFFICULT TO GET ALCOHOL COMBINED	
	Frequency	Percent
Never heard of	79,500	29.5%
Impossible	35,142	13.0%
Very difficult	13,897	5.2%
Somewhat diff	28,419	10.5%
Somewhat easy	46,495	17.2%
Very easy	66,097	24.5%

Frequency Missing = 16154

q20f	DIFFICULT TO GET CRACK	
	Frequency	Percent
Never heard of	126,881	47.1%
Impossible	66,600	24.7%
Very difficult	28,326	10.5%
Somewhat diff	21,912	8.1%
Somewhat easy	12,154	4.5%
Very easy	13,548	5.0%

Frequency Missing = 16282

q20c	DIFFICULT TO GET INHALANTS	
	Frequency	Percent
Never heard of	126,526	47.1%
Impossible	37,176	13.8%
Very difficult	10,730	4.0%
Somewhat diff	15,030	5.6%
Somewhat easy	24,406	9.1%
Very easy	54,719	20.4%

Frequency Missing = 17118

q20h	DIFFICULT TO GET STEROIDS	
	Frequency	Percent
Never heard of	130,475	48.4%
Impossible	67,654	25.1%
Very difficult	24,257	9.0%
Somewhat diff	20,388	7.6%
Somewhat easy	14,376	5.3%
Very easy	12,249	4.5%

Frequency Missing = 16306

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	135,304	50.4%
Impossible	54,916	20.4%
Very difficult	19,797	7.4%
Somewhat diff	19,427	7.2%
Somewhat easy	18,852	7.0%
Very easy	20,323	7.6%
Frequency Missing = 17086		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	2,034	4.1%
9 years old	1,349	2.7%
10 years old	3,110	6.3%
11 years old	3,663	7.4%
12 years old	5,125	10.4%
13 years old	7,491	15.2%
14 years old	6,653	13.5%
15 years old	8,258	16.7%
16 years old	7,271	14.7%
17 years old	3,184	6.5%
18 or older	1,199	2.4%
Frequency Missing = 236367		

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	142,430	52.7%
Impossible	68,769	25.4%
Very difficult	25,461	9.4%
Somewhat diff	15,203	5.6%
Somewhat easy	8,764	3.2%
Very easy	9,684	3.6%
Frequency Missing = 15393		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	9,428	7.8%
9 years old	3,892	3.2%
10 years old	5,535	4.6%
11 years old	8,204	6.8%
12 years old	12,167	10.1%
13 years old	19,510	16.2%
14 years old	18,931	15.7%
15 years old	22,622	18.8%
16 years old	12,705	10.6%
17 years old	5,575	4.6%
18 or older	1,793	1.5%
Frequency Missing = 165342		

DIFFICULT TO GET METHAM-PHETAMINE		
q20k	Frequency	Percent
Never heard of	149,496	55.3%
Impossible	64,708	23.9%
Very difficult	24,466	9.1%
Somewhat diff	14,304	5.3%
Somewhat easy	7,459	2.8%
Very easy	9,895	3.7%
Frequency Missing = 15377		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	1,207	9.5%
9 years old	1,171	9.2%
10 years old	1,651	13.0%
11 years old	1,658	13.1%
12 years old	2,340	18.4%
13 years old	2,016	15.9%
14 years old	1,261	9.9%
15 years old	711	5.6%
16 years old	619	4.9%
17 years old	54	0.4%
Frequency Missing = 273017		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	135,098	50.0%
Impossible	48,483	17.9%
Very difficult	16,901	6.3%
Somewhat diff	17,789	6.6%
Somewhat easy	20,360	7.5%
Very easy	31,699	11.7%
Frequency Missing = 15374		

AGE WHEN FIRST USED MARIJUANA		
q21d	Frequency	Percent
8 or younger	1,650	2.3%
9 years old	738	1.0%
10 years old	2,826	4.0%
11 years old	3,458	4.9%
12 years old	9,022	12.7%
13 years old	13,528	19.0%
14 years old	14,132	19.8%
15 years old	12,823	18.0%
16 years old	8,680	12.2%
17 years old	3,701	5.2%
18 or older	690	1.0%

Frequency Missing = 214456

AGE WHEN FIRST USED STEROIDS		
q21h	Frequency	Percent
8 or younger	404	18.9%
9 years old	41	1.9%
10 years old	17	0.8%
11 years old	123	5.8%
12 years old	282	13.2%
13 years old	94	4.4%
14 years old	107	5.0%
15 years old	506	23.6%
16 years old	283	13.2%
17 years old	241	11.3%
18 or older	43	2.0%

Frequency Missing = 283563

AGE WHEN FIRST USED COCAINE		
q21e	Frequency	Percent
8 or younger	182	2.2%
9 years old	41	0.5%
10 years old	165	2.0%
11 years old	556	6.9%
12 years old	493	6.1%
13 years old	894	11.1%
14 years old	1,083	13.4%
15 years old	1,339	16.6%
16 years old	1,772	21.9%
17 years old	1,353	16.7%
18 or older	208	2.6%

Frequency Missing = 277620

AGE WHEN FIRST USED ECSTASY		
q21i	Frequency	Percent
9 years old	41	0.4%
10 years old	304	2.8%
11 years old	136	1.2%
12 years old	546	5.0%
13 years old	1,617	14.7%
14 years old	2,118	19.3%
15 years old	2,314	21.1%
16 years old	2,123	19.3%
17 years old	1,386	12.6%
18 or older	399	3.6%

Frequency Missing = 274722

AGE WHEN FIRST USED CRACK		
q21f	Frequency	Percent
8 or younger	126	10.6%
9 years old	33	2.7%
10 years old	76	6.4%
11 years old	253	21.4%
12 years old	194	16.4%
13 years old	142	12.0%
14 years old	142	12.0%
15 years old	31	2.6%
16 years old	76	6.5%
17 years old	111	9.4%

Frequency Missing = 284519

AGE WHEN FIRST USED HEROIN		
q21j	Frequency	Percent
8 or younger	140	14.0%
9 years old	203	20.4%
10 years old	23	2.3%
11 years old	80	8.0%
12 years old	81	8.2%
13 years old	120	12.0%
15 years old	276	27.7%
17 years old	73	7.4%

Frequency Missing = 284709

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q21k	AGE WHEN FIRST USED METHAMPHETAMINE	
	Frequency	Percent
8 or younger	112	12.6%
9 years old	41	4.6%
10 years old	100	11.3%
13 years old	231	26.1%
14 years old	54	6.1%
15 years old	264	29.8%
16 years old	85	9.6%

Frequency Missing = 284818

q22b	HOW OFTEN NORMALLY USE ALCOHOL	
	Frequency	Percent
Every day	1,104	0.4%
Several times/wk	6,410	2.4%
Several times/mo	18,693	6.9%
About once/- month	30,051	11.0%
About once/year	26,060	9.6%
< once/year	21,964	8.1%
Never used	168,194	61.7%

Frequency Missing = 13230

q21l	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
	Frequency	Percent
8 or younger	269	1.1%
9 years old	269	1.1%
10 years old	624	2.5%
11 years old	846	3.4%
12 years old	2,096	8.5%
13 years old	4,233	17.2%
14 years old	5,811	23.6%
15 years old	4,925	20.0%
16 years old	3,990	16.2%
17 years old	1,422	5.8%
18 or older	127	0.5%

Frequency Missing = 261092

q22c	HOW OFTEN NORMALLY USE INHALANTS	
	Frequency	Percent
Every day	471	0.2%
Several times/wk	687	0.3%
Several times/mo	931	0.3%
About once/- month	1,829	0.7%
About once/year	1,979	0.7%
< once/year	4,198	1.5%
Never used	262,711	96.3%

Frequency Missing = 12900

q22a	HOW OFTEN NORMALLY USE TOBACCO	
	Frequency	Percent
Every day	1,582	0.6%
Several times/wk	4,041	1.5%
Several times/mo	5,436	2.0%
About once/- month	9,239	3.4%
About once/year	8,388	3.1%
< once/year	12,581	4.6%
Never used	232,753	84.9%

Frequency Missing = 11684

q22d	HOW OFTEN NORMALLY USE MARIJUANA	
	Frequency	Percent
Every day	5,999	2.2%
Several times/wk	7,730	2.8%
Several times/mo	9,824	3.6%
About once/- month	11,715	4.3%
About once/year	10,908	4.0%
< once/year	15,405	5.6%
Never used	213,032	77.6%

Frequency Missing = 11091

q22e	HOW OFTEN NORMALLY USE COCAINE	
	Frequency	Percent
Every day	487	0.2%
Several times/wk	57	0.0%
Several times/mo	553	0.2%
About once/- month	1,011	0.4%
About on- ce/year	1,460	0.5%
< once/year	1,803	0.7%
Never used	268,777	98.0%
Frequency Missing = 11555		

q22i	HOW OFTEN NORMALLY USE ECSTASY	
	Frequency	Percent
Every day	92	0.0%
Several times/wk	505	0.2%
Several times/mo	764	0.3%
About once/- month	2,388	0.9%
About on- ce/year	2,781	1.0%
< once/year	3,208	1.2%
Never used	264,704	96.5%
Frequency Missing = 11263		

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Every day	267	0.1%
Several times/wk	89	0.0%
Several times/mo	22	0.0%
About once/- month	114	0.0%
About on- ce/year	123	0.0%
< once/year	194	0.1%
Never used	274,378	99.7%
Frequency Missing = 10518		

q22j	HOW OFTEN NORMALLY USE HEROIN	
	Frequency	Percent
Every day	98	0.0%
Several times/wk	23	0.0%
Several times/mo	62	0.0%
About once/- month	67	0.0%
< once/year	165	0.1%
Never used	274,282	99.8%
Frequency Missing = 11007		

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	329	0.1%
Several times/wk	128	0.0%
Several times/mo	231	0.1%
About once/- month	32	0.0%
About on- ce/year	152	0.1%
< once/year	842	0.3%
Never used	273,248	99.4%
Frequency Missing = 10743		

q22k	HOW OFTEN NORMALLY USE METHAMPHETAMINE	
	Frequency	Percent
Every day	104	0.0%
Several times/wk	88	0.0%
Several times/mo	202	0.1%
About on- ce/year	39	0.0%
< once/year	406	0.1%
Never used	273,817	99.7%
Frequency Missing = 11049		

HOW OFTEN NORMALLY USE SYNTHETIC MARIJUANA		
q22l	Frequency	Percent
Every day	958	0.3%
Several times/wk	1,616	0.6%
Several times/mo	1,131	0.4%
About once/-month	4,145	1.5%
About once/year	4,917	1.8%
< once/year	7,809	2.8%
Never used	253,705	92.5%

Frequency Missing = 11423

AMOUNT OF BEER AT ONE TIME		
q23a	Frequency	Percent
Never drink this	165,503	61.1%
12+ drinks	6,898	2.5%
9-11 drinks	5,220	1.9%
5-8 drinks	11,176	4.1%
3-4 drinks	16,635	6.1%
2 drinks	18,342	6.8%
1 drink	18,793	6.9%
< 1 drink	28,161	10.4%

Frequency Missing = 14977

AMOUNT OF WINE COOLERS AT ONE TIME		
q23b	Frequency	Percent
Never drink this	187,101	69.1%
12+ drinks	4,676	1.7%
9-11 drinks	4,397	1.6%
5-8 drinks	8,951	3.3%
3-4 drinks	15,964	5.9%
2 drinks	15,984	5.9%
1 drink	17,144	6.3%
< 1 drink	16,536	6.1%

Frequency Missing = 14952

AMOUNT OF WINE AT ONE TIME		
q23c	Frequency	Percent
Never drink this	192,026	71.2%
12+ drinks	2,754	1.0%
9-11 drinks	1,720	0.6%
5-8 drinks	2,889	1.1%
3-4 drinks	6,828	2.5%
2 drinks	12,165	4.5%
1 drink	22,767	8.4%
< 1 drink	28,666	10.6%

Frequency Missing = 15889

AMOUNT OF LIQUOR AT ONE TIME		
q23d	Frequency	Percent
Never drink this	180,264	66.5%
12+ drinks	8,379	3.1%
9-11 drinks	4,273	1.6%
5-8 drinks	10,590	3.9%
3-4 drinks	15,505	5.7%
2 drinks	14,452	5.3%
1 drink	17,385	6.4%
< 1 drink	20,179	7.4%

Frequency Missing = 14679

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
q24	Frequency	Percent
Never 5+ at time	126,168	46.2%
None	106,442	39.0%
1 day	16,266	6.0%
2 days	9,140	3.3%
3 to 5 days	6,964	2.6%
6 to 9 days	2,755	1.0%
10 or more days	5,274	1.9%

Frequency Missing = 12696

GET ALCOHOLIC BEVERAGES FROM HOME		
q25a	Frequency	Percent
Do not Drink	156,224	57.4%
Never	64,713	23.8%
Seldom	36,198	13.3%
Most of the Time	11,619	4.3%
Always	3,560	1.3%

Frequency Missing = 13392

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	143,829	53.1%
Never	51,767	19.1%
Seldom	34,937	12.9%
Most of the Time	30,248	11.2%
Always	10,116	3.7%

Frequency Missing = 14807

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	151,801	56.1%
Never	92,550	34.2%
Seldom	12,263	4.5%
Most of the Time	9,095	3.4%
Always	5,010	1.9%

Frequency Missing = 14986

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	136,486	50.3%
Never	40,318	14.8%
Seldom	29,399	10.8%
Most of the Time	33,278	12.3%
Always	32,087	11.8%

Frequency Missing = 14136

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q25e	Frequency	Percent
Do not Drink	153,021	56.8%
Never	64,848	24.1%
Seldom	21,221	7.9%
Most of the Time	15,663	5.8%
Always	14,499	5.4%

Frequency Missing = 16453

DANGEROUS FOR KIDS TO USE TOBACCO		
q26a	Frequency	Percent
Very	187,394	68.5%
Somewhat	50,775	18.6%
Not very	15,831	5.8%
Not at all	3,217	1.2%
Don't know	16,157	5.9%

Frequency Missing = 12330

DANGEROUS FOR KIDS TO USE ALCOHOL		
q26b	Frequency	Percent
Very	151,929	55.7%
Somewhat	70,186	25.7%
Not very	31,912	11.7%
Not at all	6,310	2.3%
Don't know	12,603	4.6%

Frequency Missing = 12764

DANGEROUS FOR KIDS TO USE INHALANTS		
q26c	Frequency	Percent
Very	212,858	78.0%
Somewhat	27,836	10.2%
Not very	9,573	3.5%
Not at all	2,694	1.0%
Don't know	19,929	7.3%

Frequency Missing = 12814

DANGEROUS FOR KIDS TO USE MARIJUANA		
q26d	Frequency	Percent
Very	163,440	59.7%
Somewhat	35,150	12.8%
Not very	28,486	10.4%
Not at all	33,159	12.1%
Don't know	13,311	4.9%

Frequency Missing = 12158

DANGEROUS FOR KIDS TO USE COCAINE		
q26e	Frequency	Percent
Very	238,829	87.3%
Somewhat	15,868	5.8%
Not very	3,221	1.2%
Not at all	1,741	0.6%
Don't know	13,864	5.1%

Frequency Missing = 12182

	DANGEROUS FOR KIDS TO USE CRACK	FOR USE
q26f	Frequency	Percent
Very	241,282	88.3%
Somewhat	13,603	5.0%
Not very	2,075	0.8%
Not at all	1,813	0.7%
Don't know	14,384	5.3%

Frequency Missing = 12548

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	FOR USE
q26k	Frequency	Percent
Very	217,987	79.7%
Somewhat	22,612	8.3%
Not very	8,135	3.0%
Not at all	4,817	1.8%
Don't know	20,115	7.4%

Frequency Missing = 12039

	DANGEROUS FOR KIDS TO USE ECSTASY	FOR USE
q26g	Frequency	Percent
Very	223,473	81.8%
Somewhat	21,880	8.0%
Not very	6,307	2.3%
Not at all	3,162	1.2%
Don't know	18,310	6.7%

Frequency Missing = 12574

	DANGEROUS FOR KIDS TO USE HYDROCODONE	FOR USE
q26l	Frequency	Percent
Very	224,810	82.1%
Somewhat	15,709	5.7%
Not very	5,193	1.9%
Not at all	2,797	1.0%
Don't know	25,258	9.2%

Frequency Missing = 11938

	DANGEROUS FOR KIDS TO USE STEROIDS	FOR USE
q26h	Frequency	Percent
Very	217,822	79.7%
Somewhat	27,193	9.9%
Not very	7,474	2.7%
Not at all	2,942	1.1%
Don't know	17,880	6.5%

Frequency Missing = 12394

	DAYS SKIPPED SINCE SEPTEMBER	PERCENT
q27a	Frequency	Percent
None	221,029	81.5%
1-3 days	34,048	12.5%
4-9 days	8,927	3.3%
10+ days	7,295	2.7%

Frequency Missing = 14406

	DANGEROUS FOR KIDS TO USE HEROIN	FOR USE
q26i	Frequency	Percent
Very	241,146	88.1%
Somewhat	12,038	4.4%
Not very	1,915	0.7%
Not at all	1,239	0.5%
Don't know	17,448	6.4%

Frequency Missing = 11919

	DAYS ILL SINCE SEPTEMBER	PERCENT
q27b	Frequency	Percent
None	106,232	39.3%
1-3 days	126,381	46.7%
4-9 days	28,267	10.5%
10+ days	9,500	3.5%

Frequency Missing = 15325

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	FOR USE
q26j	Frequency	Percent
Very	240,383	87.8%
Somewhat	11,445	4.2%
Not very	1,778	0.6%
Not at all	1,450	0.5%
Don't know	18,788	6.9%

Frequency Missing = 11862

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	PERCENT
q27c	Frequency	Percent
None	125,796	47.0%
1-3 days	120,160	44.9%
4-9 days	15,682	5.9%
10+ days	5,940	2.2%

Frequency Missing = 18126

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q27d	Frequency	Percent
None	240,588	89.0%
1-3 days	23,687	8.8%
4-9 days	3,727	1.4%
10+ days	2,271	0.8%
Frequency Missing = 15432		

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q28d	Frequency	Percent
None	256,116	95.3%
1-3 times	10,499	3.9%
4-9 times	1,340	0.5%
10+ times	923	0.3%
Frequency Missing = 16825		

SOMEONE CALLED HOME SINCE SEPTEMBER		
q27e	Frequency	Percent
None	241,286	89.3%
1-3 days	22,750	8.4%
4-9 days	3,737	1.4%
10+ days	2,322	0.9%
Frequency Missing = 15609		

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q28e	Frequency	Percent
None	255,346	95.0%
1-3 times	8,784	3.3%
4-9 times	1,536	0.6%
10+ times	3,048	1.1%
Frequency Missing = 16991		

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q28a	Frequency	Percent
None	258,621	95.8%
1-3 times	10,203	3.8%
4-9 times	740	0.3%
10+ times	371	0.1%
Frequency Missing = 15770		

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q28f	Frequency	Percent
None	254,111	94.6%
1-3 times	10,873	4.0%
4-9 times	2,190	0.8%
10+ times	1,315	0.5%
Frequency Missing = 17216		

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q28b	Frequency	Percent
None	258,413	95.9%
1-3 times	8,442	3.1%
4-9 times	1,483	0.6%
10+ times	998	0.4%
Frequency Missing = 16368		

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q29a	Frequency	Percent
None	256,053	95.6%
1-3 days	9,194	3.4%
4-9 days	1,450	0.5%
10+ days	1,267	0.5%
Frequency Missing = 17742		

CRITICIZED BY DATE BECAUSE OF DRINKING		
q28c	Frequency	Percent
None	253,519	94.9%
1-3 times	12,093	4.5%
4-9 times	971	0.4%
10+ times	689	0.3%
Frequency Missing = 18433		

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q29b	Frequency	Percent
None	241,738	90.3%
1-3 days	15,809	5.9%
4-9 days	3,691	1.4%
10+ days	6,600	2.5%
Frequency Missing = 17867		

	CLASS DAYS HIGH ON INHALANTS SINCE SEPT	
q29c	Frequency	Percent
None	263,876	98.6%
1-3 days	2,898	1.1%
4-9 days	343	0.1%
10+ days	524	0.2%
Frequency Missing = 18063		

	CLASS DAYS HIGH ON OTHER DRUG(S)	
q29d	Frequency	Percent
None	257,348	96.2%
1-3 days	6,899	2.6%
4-9 days	1,529	0.6%
10+ days	1,770	0.7%
Frequency Missing = 18159		

	ALCOHOL USE AT PARTIES THIS SCHOOL YEAR	
q30a	Frequency	Percent
Never	129,743	48.5%
Seldom	21,141	7.9%
Half the time	16,374	6.1%
Most of the time	24,221	9.1%
Always	32,651	12.2%
Don't know	6,695	2.5%
Didn't attend	36,437	13.6%
Frequency Missing = 18442		

	DRUG USE AT PARTIES THIS SCHOOL YEAR	
q30b	Frequency	Percent
Never	147,324	55.1%
Seldom	16,822	6.3%
Half the time	14,613	5.5%
Most of the time	20,142	7.5%
Always	24,659	9.2%
Don't know	7,600	2.8%
Didn't attend	36,146	13.5%
Frequency Missing = 18399		

	SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM	
q31	Frequency	Percent
No	212,341	88.9%
Yes	26,486	11.1%
Frequency Missing = 46877		

	WOULD SEEK HELP FROM SCHOOL COUNSELOR	
q32a	Frequency	Percent
No	143,203	54.3%
Yes	120,626	45.7%
Frequency Missing = 21875		

	WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL	
q32b	Frequency	Percent
No	138,242	52.5%
Yes	124,991	47.5%
Frequency Missing = 22471		

	WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL	
q32c	Frequency	Percent
No	145,757	55.7%
Yes	116,017	44.3%
Frequency Missing = 23930		

	WOULD SEEK HELP FROM PARENTS	
q32d	Frequency	Percent
No	85,969	32.5%
Yes	178,215	67.5%
Frequency Missing = 21521		

	WOULD SEEK HELP FROM A MEDICAL DOCTOR	
q32e	Frequency	Percent
No	117,184	44.6%
Yes	145,605	55.4%
Frequency Missing = 22915		

	WOULD SEEK HELP FROM FRIENDS	
q32f	Frequency	Percent
No	104,426	39.7%
Yes	158,643	60.3%
Frequency Missing = 22635		

WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	102,316	38.8%
Yes	161,155	61.2%
Frequency Missing = 22234		

DRUG/ALCOHOL INFO-SCHOOL STUDENT GROUP OR CLUB		
q33e	Frequency	Percent
No	191,291	77.8%
Yes	54,636	22.2%
Frequency Missing = 39778		

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	201,875	78.5%
Yes	55,245	21.5%
Frequency Missing = 28584		

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	147,504	59.7%
Yes	99,467	40.3%
Frequency Missing = 38734		

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	118,037	47.5%
Yes	130,470	52.5%
Frequency Missing = 37197		

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	157,693	64.1%
Yes	88,173	35.9%
Frequency Missing = 39838		

DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM		
q33b	Frequency	Percent
No	123,209	49.8%
Yes	124,392	50.2%
Frequency Missing = 38104		

PARENTS FEEL ABOUT KIDS USING TOBACCO			
q34a	Frequency	Percent	
Strong disapprove	208,112	78.3%	
Mild disapprove	15,387	5.8%	
Neither	10,476	3.9%	
Mildly approve	3,190	1.2%	
Strongly approve	2,819	1.1%	
Don't know	25,802	9.7%	
Frequency Missing = 19918			

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR		
q33c	Frequency	Percent
No	151,726	61.4%
Yes	95,283	38.6%
Frequency Missing = 38696		

PARENTS FEEL ABOUT KIDS DRINKING ALCOHOL			
q34b	Frequency	Percent	
Strong disapprove	178,256	67.1%	
Mild disapprove	30,824	11.6%	
Neither	20,544	7.7%	
Mildly approve	8,254	3.1%	
Strongly approve	3,469	1.3%	
Don't know	24,440	9.2%	
Frequency Missing = 19917			

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	164,085	66.6%
Yes	82,376	33.4%
Frequency Missing = 39244		

		PARENTS FEEL ABOUT KIDS USING MARIJUANA	
q34c		Frequency	Percent
Strongly disapprove		209,098	78.6%
Mild disapprove		11,677	4.4%
Neither		12,145	4.6%
Mildly approve		3,932	1.5%
Strongly approve		5,020	1.9%
Don't know		24,141	9.1%
Frequency Missing = 19692			

			TESTED FOR DRUG USE AT SCHOOL
q35		Frequency	Percent
No		239,101	89.9%
Yes		26,986	10.1%
Frequency Missing = 19618			

		DRUG TESTING SHOULD BE RE- QUIRED FOR ALL STUDENT ATH- LETES	
q36		Frequency	Percent
Do not know		62,379	23.4%
No		57,322	21.5%
Yes		147,394	55.2%
Frequency Missing = 18610			